

Central AQH (000)

Central Cume (000)

Share of Hrs Tuned % (Comm/Orig)

	Central AQH (000)				% Diff S2/06 -S4/06	Central Cume (000)				% Diff S2/06 -S4/06	Share of Hrs Tuned % (Comm/Orig)				% Diff S2/06 -S4/06
	S4/05	S1/06	S2/06	S4/06		S4/05	S1/06	S2/06	S4/06		S4/05	S1/06	S2/06	S4/06	
Adults 18-49															
CFBRFM	6.0	8.8	9.5	9.2	-3	123.0	123.3	134.1	136.6	2	9.4	16.4	15.9	15.2	-4
CKNGFM	8.3	6.7	8.1	7.5	-7	132.4	136.2	124.6	122.0	-2	13.0	12.6	13.6	12.4	-9
CISNFM	9.2	7.9	6.0	7.5	25	114.7	100.6	90.4	86.9	-4	14.5	14.7	10.1	12.3	22
CIRKFM	7.7	5.5	6.5	6.9	6	116.0	91.4	98.4	106.0	8	12.0	10.3	10.9	11.3	4
CHBNFM	4.1	4.9	4.1	6.5	59	88.0	93.0	88.2	105.4	20	6.4	9.2	6.9	10.6	54
CHDIFM	6.1	5.7	7.1	5.5	-23	115.7	105.7	97.1	108.4	12	9.6	10.6	11.8	9.0	-24
CFMGFM	7.5	4.0	4.0	5.0	25	93.9	71.4	69.0	83.0	20	11.8	7.4	6.6	8.2	24
CHED	5.1	3.4	4.5	4.6	2	86.1	89.6	126.2	104.4	-17	8.0	6.4	7.5	7.6	1
CKRAFM	3.7	2.4	3.6	2.8	-22	104.3	55.6	71.7	53.6	-25	5.7	4.6	6.0	4.7	-22
CHMCFM		1.6	1.9	2.4	26		32.0	38.6	37.4	-3		2.9	3.2	3.9	22
CHQT	2.5	1.1	2.1	1.5	-29	29.7	24.2	31.7	22.9	-28	3.9	2.1	3.5	2.4	-31
CFRN	1.2	0.8	1.9	1.1	-42	19.5	14.9	20.3	19.9	-2	1.8	1.5	3.1	1.9	-39
CFCW	2.5	0.6	0.5	0.4	-20	22.7	10.6	11.5	7.5	-35	3.9	1.2	0.8	0.7	-13
CFCWFM		0.0	0.0	0.0	-		3.7	2.4	2.8	17		0.1	0.1	0.1	0
Women 18-49															
CKNGFM	4.4	4.7	5.2	4.2	-19	70.3	79.7	73.6	68.7	-7	15.4	17.8	18.9	15.8	-16
CISNFM	4.8	4.7	4.2	4.0	-5	66.5	59.8	60.9	49.7	-18	17.0	17.7	15.2	14.9	-2
CHBNFM	2.5	3.5	2.5	4.0	60	53.2	56.3	52.4	62.7	20	8.9	13.1	9.2	15.2	65
CFMGFM	5.3	3.1	2.8	3.9	39	60.9	49.4	47.5	57.2	20	18.6	11.7	10.1	14.6	45
CFBRFM	1.7	2.5	3.4	2.5	-26	50.8	46.3	58.1	60.5	4	6.0	9.5	12.2	9.3	-24
CHDIFM	1.8	2.0	2.1	1.9	-10	45.0	43.4	45.4	49.1	8	6.2	7.6	7.8	7.3	-6
CHED	1.4	1.4	1.2	1.6	33	27.3	32.0	45.5	36.8	-19	5.0	5.4	4.3	5.9	37
CIRKFM	1.4	1.5	1.8	1.5	-17	35.9	35.1	38.4	35.0	-9	5.0	5.5	6.7	5.5	-18
CHMCFM		1.0	1.0	1.3	30		18.9	23.5	17.5	-26		3.9	3.8	4.9	29
CKRAFM	2.5	1.3	1.8	1.1	-39	70.5	31.0	41.5	28.5	-31	8.9	5.0	6.6	4.2	-36
CHQT	1.4	0.5	1.0	0.5	-50	17.4	12.5	15.3	10.3	-33	4.8	2.0	3.7	1.7	-54
CFCW	1.2	0.2	0.2	0.1	-50	11.2	5.4	6.2	2.4	-61	4.1	0.7	0.9	0.5	-44
CFRN	0.0	0.0	0.1	0.0	-	0.6	2.3	2.8	1.0	-64	0.0	0.1	0.4	0.0	-
CFCWFM		0.0	0.0	0.0	-		1.8	1.9	2.3	21		0.1	0.2	0.1	-50
Men 18-49															
CFBRFM	4.3	6.3	6.1	6.8	11	72.2	77.0	76.0	76.1	0	12.2	23.1	18.9	19.7	4
CIRKFM	6.2	4.1	4.7	5.4	15	80.2	56.2	60.0	71.0	18	17.7	15.1	14.5	15.7	8
CHDIFM	4.4	3.7	4.9	3.6	-27	70.7	62.2	51.7	59.3	15	12.3	13.6	15.3	10.4	-32
CISNFM	4.4	3.2	1.8	3.5	94	48.2	40.8	29.6	37.3	26	12.4	11.8	5.7	10.2	79
CKNGFM	3.9	2.0	2.9	3.3	14	62.1	56.5	51.1	53.3	4	11.1	7.5	9.0	9.7	8
CHED	3.7	2.0	3.3	3.1	-6	58.8	57.6	80.7	67.5	-16	10.4	7.4	10.3	8.9	-14
CHBNFM	1.5	1.5	1.6	2.4	50	34.7	36.8	35.9	42.7	19	4.3	5.5	4.9	7.0	43
CKRAFM	1.1	1.1	1.8	1.7	-6	33.8	24.6	30.2	25.1	-17	3.2	4.1	5.5	5.0	-9
CFRN	1.2	0.8	1.8	1.1	-39	18.9	12.6	17.6	18.9	7	3.3	2.8	5.4	3.3	-39
CFMGFM	2.2	0.9	1.2	1.1	-8	33.0	22.0	21.5	25.9	20	6.3	3.3	3.7	3.2	-14
CHQT	1.1	0.6	1.1	1.0	-9	12.3	11.7	16.4	12.6	-23	3.2	2.1	3.3	2.9	-12
CHMCFM		0.5	0.9	1.0	11		13.1	15.1	19.9	32		2.0	2.7	3.0	11
CFCW	1.3	0.4	0.3	0.3	0	11.5	5.1	5.3	5.1	-4	3.7	1.6	0.8	0.9	13
CFCWFM		0.0	0.0	0.0	-		1.9	0.5	0.6	20		0.1	0.0	0.0	-
Adults 25-54															
CISNFM	9.2	8.6	6.4	7.9	23	107.6	99.2	85.1	82.5	-3	15.2	16.4	10.9	13.4	23
CKNGFM	8.0	6.2	8.1	7.8	-4	125.1	123.9	123.1	117.6	-4	13.4	11.9	13.9	13.2	-5
CIRKFM	8.4	5.6	6.5	7.5	15	110.6	88.6	92.0	94.9	3	13.9	10.8	11.2	12.7	13
CFBRFM	4.5	7.9	7.7	7.1	-8	87.3	101.4	99.4	94.1	-5	7.5	15.0	13.2	12.1	-8
CFMGFM	7.7	4.9	5.2	5.7	10	97.3	78.7	77.9	82.5	6	12.8	9.3	8.8	9.7	10
CHED	6.4	4.7	5.7	5.4	-5	105.1	99.6	128.9	116.3	-10	10.7	8.9	9.7	9.2	-5
CHDIFM	4.1	3.3	4.9	3.9	-20	78.3	75.2	64.2	72.7	13	6.8	6.3	8.4	6.7	-20
CHBNFM	1.8	3.0	3.3	3.5	6	49.3	70.5	63.1	65.6	4	3.0	5.8	5.6	6.0	7
CKRAFM	2.4	2.3	3.3	2.9	-12	72.9	52.2	65.7	48.2	-27	3.9	4.3	5.7	5.0	-12
CHMCFM		2.3	2.3	2.9	26		38.1	43.4	39.8	-8		4.3	3.9	5.0	28
CHQT	3.1	1.6	2.3	2.4	4	39.9	32.0	37.7	32.0	-15	5.2	3.0	3.9	4.0	3
CFRN	1.4	0.9	2.0	1.1	-45	22.1	16.1	22.0	22.0	0	2.3	1.7	3.5	1.9	-46
CFCW	3.2	1.1	0.7	0.7	0	32.2	16.5	15.5	11.2	-28	5.3	2.1	1.2	1.1	-8
CFCWFM		0.0	0.0	0.0	-		2.7	3.2	1.6	-50		0.1	0.1	0.0	-

Important Notice Re: Trending

Central AQH (000) and Central Cume (000) trends will be affected by the population adjustment.
Share of Hours Tuned (%) trending will factor out the population change.



Central AQH (000)

Central Cume (000)

Share of Hrs Tuned % (Comm/Orig)

	Central AQH (000)				% Diff S2/06 -S4/06	Central Cume (000)				% Diff S2/06 -S4/06	Share of Hrs Tuned % (Comm/Orig)				% Diff S2/06 -S4/06
	S4/05	S1/06	S2/06	S4/06		S4/05	S1/06	S2/06	S4/06		S4/05	S1/06	S2/06	S4/06	
Women 25-54															
CFMGFM	5.5	3.3	3.4	4.6	35	61.9	52.5	49.6	55.1	11	20.7	13.3	12.9	17.7	37
CISNFM	4.6	5.3	4.4	4.4	0	61.3	57.2	55.8	48.0	-14	17.6	20.9	16.4	16.8	2
CKNGFM	4.2	4.1	5.1	4.3	-16	65.3	71.7	67.5	65.5	-3	16.0	16.4	19.3	16.4	-15
CHBNFM	1.2	2.1	1.9	2.1	11	32.4	42.9	35.0	40.6	16	4.7	8.4	7.1	8.0	13
CHED	1.9	1.7	1.6	1.9	19	33.9	36.5	45.9	41.9	-9	7.2	6.7	6.2	7.1	15
CFBRFM	1.2	2.0	2.6	1.9	-27	37.6	34.4	40.9	42.2	3	4.5	8.1	9.8	7.3	-26
CHMCFM		1.6	1.2	1.7	42		21.3	24.2	20.2	-17		6.3	4.5	6.5	44
CIRKFM	1.5	1.4	1.8	1.6	-11	34.0	32.1	34.6	29.8	-14	5.7	5.7	6.7	6.2	-7
CHDIFM	1.2	0.9	1.3	1.6	23	30.0	28.3	28.2	33.6	19	4.6	3.7	4.8	6.0	25
CKRAFM	1.6	1.2	1.7	0.9	-47	48.0	27.1	36.9	24.9	-33	6.0	4.9	6.5	3.6	-45
CHQT	1.8	0.7	0.9	0.8	-11	23.1	16.6	16.9	14.9	-12	6.7	2.9	3.4	3.2	-6
CFCW	1.7	0.6	0.3	0.3	0	16.6	9.1	8.9	4.4	-51	6.3	2.4	1.3	1.2	-8
CFRN	0.0	0.1	0.2	0.0	-	1.3	2.6	3.2	1.6	-50	0.1	0.3	0.8	0.0	-
CFCWFM		0.0	0.0	0.0	-		1.3	2.3	1.6	-30		0.1	0.2	0.1	-50
Men 25-54															
CIRKFM	6.8	4.2	4.8	5.9	23	76.6	56.5	57.4	65.1	13	20.3	15.5	14.9	17.9	20
CFBRFM	3.3	5.8	5.1	5.2	2	49.7	67.0	58.5	51.8	-11	9.8	21.5	16.0	15.9	-1
CHED	4.5	3.0	4.0	3.6	-10	71.2	63.1	83.1	74.3	-11	13.4	10.9	12.6	10.9	-13
CKNGFM	3.8	2.1	3.0	3.5	17	59.8	52.2	55.5	52.0	-6	11.3	7.6	9.4	10.6	13
CISNFM	4.5	3.3	2.1	3.5	67	46.3	41.9	29.3	34.4	17	13.4	12.2	6.4	10.7	67
CHDIFM	2.9	2.4	3.6	2.4	-33	48.4	46.9	36.1	39.1	8	8.5	8.8	11.3	7.2	-36
CKRAFM	0.8	1.0	1.6	2.0	25	24.9	25.1	28.7	23.3	-19	2.2	3.9	5.0	6.1	22
CHQT	1.4	0.8	1.4	1.6	14	16.8	15.4	20.9	17.1	-18	4.0	3.1	4.3	4.7	9
CHBNFM	0.6	0.9	1.4	1.4	0	16.9	27.6	28.1	25.0	-11	1.6	3.4	4.4	4.3	-2
CHMCFM		0.7	1.1	1.2	9		16.8	19.1	19.6	3		2.5	3.4	3.8	12
CFRN	1.4	0.8	1.8	1.1	-39	20.8	13.5	18.8	20.4	9	4.0	3.1	5.7	3.4	-40
CFMGFM	2.3	1.5	1.8	1.1	-39	35.3	26.2	28.4	27.5	-3	6.7	5.7	5.5	3.4	-38
CFCW	1.6	0.5	0.3	0.4	33	15.6	7.4	6.6	6.7	2	4.6	1.9	1.0	1.1	10
CFCWFM		0.0	0.0	0.0	-		1.4	0.9	0.0	-		0.1	0.0	-	-
Adults 18-34															
CFBRFM	4.0	4.9	6.7	6.9	3	84.5	76.4	93.2	105.3	13	13.5	18.4	23.1	23.9	3
CHBNFM	3.1	3.5	3.0	5.4	80	69.8	63.7	66.6	79.3	19	10.5	13.1	10.4	18.5	78
CHDIFM	4.6	4.8	4.8	4.3	-10	87.8	77.9	69.9	89.2	28	15.7	17.8	16.7	14.7	-12
CKNGFM	3.8	3.5	3.5	2.7	-23	65.6	64.8	54.6	54.7	0	13.0	13.0	12.2	9.3	-24
CIRKFM	1.8	2.1	1.7	2.7	59	50.3	38.6	39.1	53.9	38	6.0	7.9	5.7	9.2	61
CISNFM	3.0	3.9	2.3	2.2	-4	54.4	49.1	45.4	41.9	-8	10.1	14.5	8.0	7.7	-4
CFMGFM	3.1	1.3	1.4	1.4	0	39.4	28.9	28.1	38.8	38	10.5	4.7	4.8	4.8	0
CKRAFM	2.4	1.1	1.4	1.2	-14	70.0	29.2	38.0	30.6	-19	8.1	4.2	4.7	4.3	-9
CHED	1.5	0.9	1.4	1.1	-21	27.1	34.1	55.1	35.5	-36	5.0	3.4	4.9	3.8	-22
CFRN	0.3	0.4	1.3	0.6	-54	7.4	6.6	11.7	10.2	-13	1.0	1.6	4.5	2.1	-53
CHMCFM		0.2	0.9	0.3	-67		8.7	13.1	13.7	5		0.7	3.1	1.0	-68
CHQT	0.8	0.1	0.5	0.1	-80	9.1	6.1	11.8	6.3	-47	2.7	0.3	1.6	0.5	-69
CFCW	1.2	0.1	0.1	0.0	-	10.7	1.8	0.8	1.4	75	4.1	0.2	0.2	0.2	0
CFCWFM		0.0	0.0	0.0	-		3.2	0.7	1.2	71		0.1	0.0	0.0	-
Women 18-34															
CHBNFM	1.9	2.5	1.7	3.3	94	42.4	35.6	40.6	46.5	15	13.6	18.7	12.9	27.2	111
CFBRFM	1.0	1.4	2.4	1.9	-21	34.1	29.8	42.6	48.4	14	7.3	10.5	17.6	15.9	-10
CHDIFM	1.5	1.7	1.6	1.7	6	33.9	33.0	33.9	43.3	28	10.9	13.0	12.0	14.5	21
CKNGFM	2.0	2.6	2.5	1.6	-36	35.9	38.8	37.2	32.3	-13	14.2	19.2	18.4	13.0	-29
CFMGFM	2.4	0.9	1.0	1.1	10	26.5	19.8	21.3	28.3	33	17.5	6.6	7.4	9.2	24
CISNFM	1.8	2.3	1.7	1.0	-41	32.7	29.9	31.9	24.5	-23	12.8	17.3	12.2	8.2	-33
CKRAFM	1.6	0.7	0.6	0.5	-17	45.0	17.3	23.3	17.0	-27	11.7	5.2	4.6	4.1	-11
CHED	0.4	0.4	0.5	0.4	-20	7.0	9.1	20.6	12.5	-39	2.5	3.0	3.7	3.7	0
CIRKFM	0.4	0.6	0.5	0.4	-20	14.6	13.6	16.6	18.9	14	2.9	4.8	3.7	3.1	-16
CHQT	0.5	0.1	0.3	0.1	-67	6.3	3.6	5.3	3.1	-42	3.6	0.4	2.5	0.5	-80
CHMCFM		0.1	0.6	0.1	-83		4.7	11.3	5.7	-50		1.0	4.4	0.7	-84
CFCW	0.4	0.0	0.0	0.0	-	3.0	1.3	0.0	0.0	-	3.1	0.2	-	-	-
CFRN	0.0	0.0	0.1	0.0	-	0.0	0.6	1.3	0.6	-54	-	0.0	0.5	0.0	-
CFCWFM		0.0	0.0	0.0	-		1.8	0.7	0.7	0		0.2	0.1	0.0	-

Important Notice Re: Trending

Central AQH (000) and Central Cume (000) trends will be affected by the population adjustment.
Share of Hours Tuned (%) trending will factor out the population change.



Central AQH (000)

Central Cume (000)

Share of Hrs Tuned % (Comm/Orig)

	Central AQH (000)				% Diff S2/06 -S4/06	Central Cume (000)				% Diff S2/06 -S4/06	Share of Hrs Tuned % (Comm/Orig)				% Diff S2/06 -S4/06
	S4/05	S1/06	S2/06	S4/06		S4/05	S1/06	S2/06	S4/06		S4/05	S1/06	S2/06	S4/06	
Men 18-34															
CFBRFM	2.9	3.5	4.3	5.0	16	50.4	46.6	50.7	57.0	12	19.1	26.4	27.8	29.5	6
CHDIFM	3.1	3.0	3.2	2.5	-22	53.9	44.9	36.0	45.8	27	20.0	22.8	20.9	14.9	-29
CIRKFM	1.4	1.5	1.2	2.3	92	35.8	25.0	22.5	35.0	56	8.8	11.0	7.5	13.5	80
CHBNFM	1.2	1.0	1.3	2.1	62	27.4	28.1	26.0	32.8	26	7.7	7.4	8.1	12.4	53
CKNGFM	1.8	0.9	1.1	1.2	9	29.7	26.0	17.4	22.4	29	11.9	6.7	6.8	6.8	0
CISNFM	1.2	1.5	0.7	1.2	71	21.7	19.1	13.5	17.4	29	7.6	11.7	4.4	7.3	66
CKRAFM	0.7	0.4	0.7	0.8	14	25.0	11.9	14.7	13.6	-7	4.9	3.2	4.7	4.5	-4
CHED	1.1	0.5	0.9	0.7	-22	20.1	25.0	34.4	22.9	-33	7.2	3.8	6.0	3.9	-35
CFRN	0.3	0.4	1.2	0.6	-50	7.4	6.0	10.4	9.6	-8	1.9	3.3	8.0	3.5	-56
CFMGFM	0.6	0.4	0.4	0.3	-25	12.9	9.0	6.9	10.5	52	4.2	2.8	2.5	1.6	-36
CHMCFM		0.1	0.3	0.2	-33		4.1	1.8	8.0	344		0.4	2.0	1.3	-35
CHQT	0.3	0.0	0.1	0.1	0	2.9	2.4	6.5	3.2	-51	1.9	0.3	0.8	0.5	-38
CFCW	0.8	0.0	0.1	0.0	-	7.7	0.5	0.8	1.4	75	5.0	0.2	0.4	0.3	-25
CFCWFM		0.0	0.0	0.0	-		1.4	0.0	0.6	-		0.1	-	0.1	0
Adults 35-64															
CISNFM	9.3	7.1	7.1	8.2	15	98.7	86.4	78.7	73.3	-7	17.0	15.2	13.4	15.4	15
CHED	8.3	6.7	9.0	7.6	-16	118.5	111.1	139.2	124.6	-10	15.1	14.3	16.8	14.3	-15
CFMGFM	7.4	5.6	6.9	7.1	3	95.3	83.2	82.0	80.2	-2	13.5	12.0	12.9	13.3	3
CKNGFM	5.2	4.2	5.1	6.3	24	82.7	87.7	85.0	85.4	0	9.5	8.9	9.6	11.9	24
CIRKFM	7.1	4.7	5.5	5.8	5	82.3	69.5	70.3	72.2	3	13.1	10.1	10.4	10.8	4
CHMCFM		2.7	2.8	4.1	46		43.1	45.6	45.2	-1		5.7	5.2	7.7	48
CHQT	4.2	2.6	3.2	3.2	0	53.6	40.7	49.0	44.3	-10	7.6	5.5	6.1	6.0	-2
CFBRFM	2.3	4.3	3.5	2.7	-23	45.2	53.6	48.1	37.2	-23	4.3	9.3	6.5	5.0	-23
CKRAFM	1.6	1.7	2.8	2.6	-7	41.7	41.5	48.9	38.1	-22	2.9	3.7	5.2	4.9	-6
CFCW	5.2	3.7	2.9	1.7	-41	48.1	39.9	39.0	26.4	-32	9.6	7.9	5.5	3.3	-40
CHDIFM	1.7	1.1	2.4	1.7	-29	31.9	31.9	29.5	25.2	-15	3.1	2.3	4.6	3.2	-30
CHBNFM	1.1	1.7	1.3	1.4	8	21.6	35.2	27.7	32.6	18	2.0	3.7	2.3	2.5	9
CFRN	1.4	0.7	0.8	0.8	0	20.1	14.4	12.6	17.1	36	2.5	1.4	1.5	1.6	7
CFCWFM		0.0	0.0	0.0	-		1.1	2.6	2.3	-12		0.1	0.1	0.1	0
Women 35-64															
CFMGFM	4.7	3.8	4.3	5.2	21	58.9	52.2	48.8	51.0	5	19.4	17.0	16.8	20.6	23
CISNFM	4.8	4.3	4.7	4.9	4	54.9	49.4	49.1	41.8	-15	19.8	19.2	18.5	19.1	3
CKNGFM	2.7	2.5	3.1	3.4	10	41.6	48.9	44.0	45.5	3	11.2	11.3	12.3	13.4	9
CHED	2.8	2.3	3.3	2.8	-15	43.2	44.5	53.7	48.6	-9	11.5	10.4	12.9	10.8	-16
CHMCFM		1.8	1.7	2.4	41		24.7	23.5	23.9	2		7.9	6.6	9.2	39
CIRKFM	1.2	1.2	1.4	1.5	7	25.5	26.5	25.0	22.0	-12	5.2	5.4	5.7	5.8	2
CHQT	2.4	1.2	1.2	1.2	0	27.5	20.0	21.8	20.2	-7	9.9	5.2	4.8	4.8	0
CFCW	2.7	1.6	1.6	1.0	-38	25.8	18.0	19.4	13.4	-31	11.1	7.3	6.3	4.1	-35
CHBNFM	0.7	1.2	0.8	1.0	25	12.8	23.9	15.8	20.9	32	2.8	5.3	3.3	3.8	15
CKRAFM	1.1	0.8	1.4	0.9	-36	29.1	20.8	26.6	19.5	-27	4.4	3.8	5.5	3.7	-33
CFBRFM	0.8	1.1	1.1	0.7	-36	19.2	17.9	17.7	14.3	-19	3.2	5.2	4.5	2.7	-40
CHDIFM	0.4	0.3	0.5	0.4	-20	13.0	12.4	12.6	8.4	-33	1.4	1.3	2.2	1.5	-32
CFRN	0.0	0.1	0.1	0.1	0	1.9	2.2	2.2	2.2	0	0.1	0.6	0.6	0.4	-33
CFCWFM		0.0	0.0	0.0	-		0.3	1.6	1.9	19		0.1	0.1	0.1	0
Men 35-64															
CHED	5.5	4.4	5.7	4.8	-16	75.3	66.6	85.5	76.0	-11	18.1	17.8	20.4	17.4	-15
CIRKFM	5.9	3.5	4.1	4.3	5	56.9	43.0	45.3	50.3	11	19.3	14.3	14.7	15.5	5
CISNFM	4.5	2.9	2.4	3.3	38	43.9	36.9	29.6	31.5	6	14.8	11.6	8.7	12.1	39
CKNGFM	2.5	1.6	2.0	2.9	45	41.1	38.8	41.0	39.9	-3	8.1	6.7	7.1	10.6	49
CHQT	1.8	1.4	2.0	2.0	0	26.1	20.7	27.2	24.1	-11	5.8	5.7	7.2	7.1	-1
CFBRFM	1.6	3.2	2.3	2.0	-13	26.0	35.7	30.3	22.9	-24	5.1	13.0	8.3	7.1	-14
CFMGFM	2.6	1.8	2.6	1.8	-31	36.4	31.0	33.2	29.2	-12	8.7	7.4	9.3	6.5	-30
CKRAFM	0.5	0.9	1.4	1.7	21	12.6	20.7	22.3	18.6	-17	1.6	3.6	4.9	6.1	24
CHMCFM		0.9	1.1	1.7	55		18.3	22.1	21.3	-4		3.6	4.0	6.3	58
CHDIFM	1.4	0.8	1.9	1.3	-32	18.9	19.5	16.9	16.8	-1	4.5	3.2	6.8	4.7	-31
CFRN	1.3	0.5	0.7	0.8	14	18.2	12.2	10.4	14.9	43	4.4	2.2	2.4	2.7	13
CFCW	2.5	2.1	1.3	0.7	-46	22.3	21.9	19.5	13.0	-33	8.3	8.5	4.7	2.5	-47
CHBNFM	0.4	0.6	0.4	0.4	0	8.8	11.3	11.9	11.7	-2	1.3	2.3	1.5	1.4	-7
CFCWFM		0.0	0.0	0.0	-		0.8	0.9	0.4	-56		0.0	0.0	0.0	-

Important Notice Re: Trending

Central AQH (000) and Central Cume (000) trends will be affected by the population adjustment. Share of Hours Tuned (%) trending will factor out the population change.

