

Central AQH (000)

Central Cume (000)

Share of Hrs Tuned % (Comm/Orig)

	Central AQH (000)				% Diff S1/07 -S2/07	Central Cume (000)				% Diff S1/07 -S2/07	Share of Hrs Tuned % (Comm/Orig)				% Diff S1/07 -S2/07
	S2/06	S4/06	S1/07	S2/07		S2/06	S4/06	S1/07	S2/07		S2/06	S4/06	S1/07	S2/07	
<b>Adults 18-49</b>															
CKNGFM	8.1	7.5	9.3	8.0	-14	124.6	122.0	125.4	123.3	-2	13.6	12.4	15.1	15.8	5
CHDIFM	7.1	5.5	7.6	7.8	3	97.1	108.4	110.9	125.8	13	11.8	9.0	12.3	15.4	25
CFBRFM	9.5	9.2	10.3	7.7	-25	134.1	136.6	130.1	115.1	-12	15.9	15.2	16.7	15.3	-8
CHBNFM	4.1	6.5	6.4	5.1	-20	88.2	105.4	109.7	111.9	2	6.9	10.6	10.4	10.0	-4
CFMGFM	4.0	5.0	4.7	4.7	0	69.0	83.0	74.2	75.7	2	6.6	8.2	7.6	9.2	21
CISNFM	6.0	7.5	7.4	4.3	-42	90.4	86.9	87.7	65.3	-26	10.1	12.3	12.1	8.6	-29
CHED	4.5	4.6	4.5	3.9	-13	126.2	104.4	101.0	86.5	-14	7.5	7.6	7.4	7.8	5
CIRKFM	6.5	6.9	4.2	3.6	-14	98.4	106.0	68.5	68.9	1	10.9	11.3	6.8	7.1	4
CHMCFM	1.9	2.4	1.1	1.9	73	38.6	37.4	30.9	35.1	14	3.2	3.9	1.8	3.9	117
CKRAFM	3.6	2.8	2.9	1.4	-52	71.7	53.6	56.0	32.8	-41	6.0	4.7	4.8	2.8	-42
CFRN	1.9	1.1	0.8	1.0	25	20.3	19.9	21.7	25.4	17	3.1	1.9	1.2	2.0	67
CHQT	2.1	1.5	1.2	0.7	-42	31.7	22.9	23.0	16.1	-30	3.5	2.4	1.9	1.4	-26
CFCW	0.5	0.4	1.0	0.4	-60	11.5	7.5	9.1	6.1	-33	0.8	0.7	1.6	0.7	-56
CFCWFM	0.0	0.0	0.1	0.0	-	2.4	2.8	5.8	3.2	-45	0.1	0.1	0.2	0.1	-50
<b>Women 18-49</b>															
CKNGFM	5.2	4.2	4.3	5.0	16	73.6	68.7	68.6	67.4	-2	18.9	15.8	15.6	19.9	28
CFMGFM	2.8	3.9	3.6	3.5	-3	47.5	57.2	49.4	51.8	5	10.1	14.6	12.9	13.9	8
CHBNFM	2.5	4.0	3.4	3.2	-6	52.4	62.7	63.0	70.0	11	9.2	15.2	12.1	12.5	3
CISNFM	4.2	4.0	3.7	3.0	-19	60.9	49.7	52.5	44.8	-15	15.2	14.9	13.2	11.8	-11
CFBRFM	3.4	2.5	2.9	2.7	-7	58.1	60.5	55.9	49.9	-11	12.2	9.3	10.5	10.5	0
CHDIFM	2.1	1.9	3.5	2.6	-26	45.4	49.1	54.7	56.9	4	7.8	7.3	12.5	10.2	-18
CHED	1.2	1.6	1.7	1.4	-18	45.5	36.8	36.6	33.1	-10	4.3	5.9	6.0	5.6	-7
CHMCFM	1.0	1.3	0.7	1.4	100	23.5	17.5	21.6	20.5	-5	3.8	4.9	2.6	5.6	115
CIRKFM	1.8	1.5	0.9	1.0	11	38.4	35.0	27.8	28.2	1	6.7	5.5	3.4	4.1	21
CKRAFM	1.8	1.1	1.8	0.6	-67	41.5	28.5	33.2	18.9	-43	6.6	4.2	6.6	2.2	-67
CHQT	1.0	0.5	0.4	0.5	25	15.3	10.3	11.2	7.4	-34	3.7	1.7	1.6	2.0	25
CFCW	0.2	0.1	0.7	0.2	-71	6.2	2.4	6.4	4.0	-38	0.9	0.5	2.3	1.0	-57
CFRN	0.1	0.0	0.1	0.1	0	2.8	1.0	3.5	3.4	-3	0.4	0.0	0.3	0.4	33
CFCWFM	0.0	0.0	0.1	0.0	-	1.9	2.3	2.1	2.3	10	0.2	0.1	0.2	0.1	-50
<b>Men 18-49</b>															
CHDIFM	4.9	3.6	4.1	5.2	27	51.7	59.3	56.2	68.9	23	15.3	10.4	12.2	20.6	69
CFBRFM	6.1	6.8	7.3	5.1	-30	76.0	76.1	74.2	65.1	-12	18.9	19.7	21.9	20.1	-8
CKNGFM	2.9	3.3	4.9	3.0	-39	51.1	53.3	56.8	56.0	-1	9.0	9.7	14.6	11.7	-20
CHED	3.3	3.1	2.9	2.5	-14	80.7	67.5	64.4	53.4	-17	10.3	8.9	8.5	9.9	16
CIRKFM	4.7	5.4	3.2	2.5	-22	60.0	71.0	40.7	40.7	0	14.5	15.7	9.7	10.1	4
CHBNFM	1.6	2.4	3.0	1.9	-37	35.9	42.7	46.7	41.9	-10	4.9	7.0	9.0	7.5	-17
CISNFM	1.8	3.5	3.7	1.3	-65	29.6	37.3	35.2	20.5	-42	5.7	10.2	11.1	5.3	-52
CFMGFM	1.2	1.1	1.1	1.1	0	21.5	25.9	24.8	23.9	-4	3.7	3.2	3.3	4.5	36
CFRN	1.8	1.1	0.7	0.9	29	17.6	18.9	18.2	22.0	21	5.4	3.3	2.1	3.6	71
CKRAFM	1.8	1.7	1.1	0.8	-27	30.2	25.1	22.8	13.9	-39	5.5	5.0	3.2	3.3	3
CHMCFM	0.9	1.0	0.4	0.5	25	15.1	19.9	9.3	14.5	56	2.7	3.0	1.2	2.1	75
CHQT	1.1	1.0	0.7	0.2	-71	16.4	12.6	11.7	8.8	-25	3.3	2.9	2.2	0.8	-64
CFCW	0.3	0.3	0.3	0.1	-67	5.3	5.1	2.7	2.1	-22	0.8	0.9	1.0	0.4	-60
CFCWFM	0.0	0.0	0.1	0.0	-	0.5	0.6	3.6	0.9	-75	0.0	0.0	0.2	0.0	-
<b>Adults 25-54</b>															
CKNGFM	8.1	7.8	8.9	8.2	-8	123.1	117.6	123.0	115.9	-6	13.9	13.2	15.0	17.1	14
CFBRFM	7.7	7.1	8.3	6.4	-23	99.4	94.1	95.4	85.5	-10	13.2	12.1	14.0	13.3	-5
CHDIFM	4.9	3.9	5.3	5.7	8	64.2	72.7	80.5	94.1	17	8.4	6.7	9.0	12.0	33
CFMGFM	5.2	5.7	5.5	5.3	-4	77.9	82.5	75.8	82.0	8	8.8	9.7	9.3	11.1	19
CHED	5.7	5.4	6.4	4.9	-23	128.9	116.3	118.6	97.5	-18	9.7	9.2	10.8	10.2	-6
CISNFM	6.4	7.9	7.0	4.1	-41	85.1	82.5	75.4	61.4	-19	10.9	13.4	11.9	8.6	-28
CIRKFM	6.5	7.5	4.5	3.6	-20	92.0	94.9	72.0	64.1	-11	11.2	12.7	7.7	7.5	-3
CHBNFM	3.3	3.5	4.0	3.4	-15	63.1	65.6	79.9	77.8	-3	5.6	6.0	6.7	7.1	6
CHMCFM	2.3	2.9	1.8	2.0	11	43.4	39.8	37.0	39.4	6	3.9	5.0	3.0	4.2	40
CKRAFM	3.3	2.9	2.7	1.4	-48	65.7	48.2	49.4	30.7	-38	5.7	5.0	4.5	3.0	-33
CHQT	2.3	2.4	2.5	1.1	-56	37.7	32.0	36.4	21.9	-40	3.9	4.0	4.2	2.3	-45
CFRN	2.0	1.1	0.9	1.1	22	22.0	22.0	24.3	25.3	4	3.5	1.9	1.5	2.2	47
CFCW	0.7	0.7	1.2	0.6	-50	15.5	11.2	12.5	10.2	-18	1.2	1.1	2.1	1.2	-43
CFCWFM	0.0	0.0	0.1	0.0	-	3.2	1.6	6.0	3.1	-48	0.1	0.0	0.3	0.1	-67

Important Notice Re: Trending

Central AQH (000) and Central Cume (000) trends will be affected by the population adjustment.  
Share of Hours Tuned (%) trending will factor out the population change.



Central AQH (000)

Central Cume (000)

Share of Hrs Tuned % (Comm/Orig)

	Central AQH (000)				% Diff S1/07 -S2/07	Central Cume (000)				% Diff S1/07 -S2/07	Share of Hrs Tuned % (Comm/Orig)				% Diff S1/07 -S2/07
	S2/06	S4/06	S1/07	S2/07		S2/06	S4/06	S1/07	S2/07		S2/06	S4/06	S1/07	S2/07	
<b>Women 25-54</b>															
CKNGFM	5.1	4.3	4.2	4.8	14	67.5	65.5	66.5	61.8	-7	19.3	16.4	15.7	20.7	32
CFMGFM	3.4	4.6	4.2	3.8	-10	49.6	55.1	51.2	52.8	3	12.9	17.7	15.9	16.3	3
CISNFM	4.4	4.4	3.8	2.6	-32	55.8	48.0	46.1	39.8	-14	16.4	16.8	14.3	11.3	-21
CFBRFM	2.6	1.9	2.2	2.2	0	40.9	42.2	40.3	36.6	-9	9.8	7.3	8.2	9.3	13
CHBNFM	1.9	2.1	2.3	2.2	-4	35.0	40.6	46.5	48.9	5	7.1	8.0	8.8	9.5	8
CHDIFM	1.3	1.6	1.6	1.9	19	28.2	33.6	34.5	40.6	18	4.8	6.0	6.1	8.0	31
CHED	1.6	1.9	2.1	1.7	-19	45.9	41.9	42.8	36.7	-14	6.2	7.1	8.0	7.2	-10
CHMCFM	1.2	1.7	1.1	1.3	18	24.2	20.2	23.2	23.0	-1	4.5	6.5	4.3	5.8	35
CIRKFM	1.8	1.6	1.0	1.0	0	34.6	29.8	27.6	26.0	-6	6.7	6.2	3.8	4.2	11
CHQT	0.9	0.8	1.3	0.7	-46	16.9	14.9	18.4	10.0	-46	3.4	3.2	4.7	3.2	-32
CKRAFM	1.7	0.9	1.8	0.6	-67	36.9	24.9	29.5	17.6	-40	6.5	3.6	6.9	2.4	-65
CFCW	0.3	0.3	0.8	0.3	-63	8.9	4.4	8.2	5.7	-30	1.3	1.2	2.9	1.3	-55
CFRN	0.2	0.0	0.1	0.1	0	3.2	1.6	3.1	3.5	13	0.8	0.0	0.2	0.5	150
CFCWFM	0.0	0.0	0.1	0.0	-	2.3	1.6	2.1	1.8	-14	0.2	0.1	0.2	0.2	0
<b>Men 25-54</b>															
CFBRFM	5.1	5.2	6.1	4.2	-31	58.5	51.8	55.1	48.9	-11	16.0	15.9	18.8	17.1	-9
CHDIFM	3.6	2.4	3.7	3.9	5	36.1	39.1	46.0	53.6	17	11.3	7.2	11.3	15.7	39
CKNGFM	3.0	3.5	4.7	3.4	-28	55.5	52.0	56.5	54.0	-4	9.4	10.6	14.5	13.8	-5
CHED	4.0	3.6	4.3	3.2	-26	83.1	74.3	75.9	60.8	-20	12.6	10.9	13.1	13.0	-1
CIRKFM	4.8	5.9	3.5	2.6	-26	57.4	65.1	44.4	38.1	-14	14.9	17.9	10.9	10.6	-3
CISNFM	2.1	3.5	3.2	1.5	-53	29.3	34.4	29.4	21.6	-27	6.4	10.7	10.0	6.1	-39
CFMGFM	1.8	1.1	1.2	1.5	25	28.4	27.5	24.6	29.1	18	5.5	3.4	3.8	6.3	66
CHBNFM	1.4	1.4	1.6	1.2	-25	28.1	25.0	33.4	28.9	-13	4.4	4.3	5.1	4.8	-6
CKRAFM	1.6	2.0	0.9	0.9	0	28.7	23.3	19.9	13.1	-34	5.0	6.1	2.7	3.5	30
CFRN	1.8	1.1	0.8	0.9	13	18.8	20.4	21.2	21.8	3	5.7	3.4	2.5	3.9	56
CHMCFM	1.1	1.2	0.6	0.6	0	19.1	19.6	13.7	16.4	20	3.4	3.8	1.9	2.6	37
CFCW	0.3	0.4	0.5	0.3	-40	6.6	6.7	4.3	4.5	5	1.0	1.1	1.4	1.1	-21
CHQT	1.4	1.6	1.2	0.3	-75	20.9	17.1	18.0	12.0	-33	4.3	4.7	3.8	1.4	-63
CFCWFM	0.0	0.0	0.1	0.0	-	0.9	0.0	3.8	1.3	-66	0.0	-	0.3	0.0	-
<b>Adults 18-34</b>															
CHDIFM	4.8	4.3	5.8	6.0	3	69.9	89.2	81.6	92.1	13	16.7	14.7	18.4	23.6	28
CFBRFM	6.7	6.9	6.5	4.4	-32	93.2	105.3	88.2	75.8	-14	23.1	23.9	20.8	17.4	-16
CHBNFM	3.0	5.4	4.7	3.9	-17	66.6	79.3	77.1	82.5	7	10.4	18.5	15.0	15.3	2
CKNGFM	3.5	2.7	3.4	2.8	-18	54.6	54.7	47.8	54.2	13	12.2	9.3	10.9	10.9	0
CISNFM	2.3	2.2	4.1	2.2	-46	45.4	41.9	46.8	33.9	-28	8.0	7.7	13.0	8.5	-35
CFMGFM	1.4	1.4	1.7	1.6	-6	28.1	38.8	30.3	33.8	12	4.8	4.8	5.3	6.2	17
CIRKFM	1.7	2.7	1.2	1.1	-8	39.1	53.9	23.0	25.0	9	5.7	9.2	4.0	4.3	8
CHED	1.4	1.1	1.3	1.0	-23	55.1	35.5	31.5	28.9	-8	4.9	3.8	4.2	3.9	-7
CKRAFM	1.4	1.2	1.4	0.8	-43	38.0	30.6	32.2	18.8	-42	4.7	4.3	4.5	3.3	-27
CHMCFM	0.9	0.3	0.3	0.8	167	13.1	13.7	11.5	17.6	53	3.1	1.0	0.9	3.0	233
CHQT	0.5	0.1	0.2	0.4	100	11.8	6.3	5.9	5.9	0	1.6	0.5	0.5	1.7	240
CFRN	1.3	0.6	0.4	0.4	0	11.7	10.2	11.2	12.1	8	4.5	2.1	1.2	1.5	25
CFCW	0.1	0.0	0.3	0.1	-67	0.8	1.4	3.4	1.9	-44	0.2	0.2	1.1	0.2	-82
CFCWFM	0.0	0.0	0.0	0.0	-	0.7	1.2	2.3	1.8	-22	0.0	0.0	0.1	0.1	0
<b>Women 18-34</b>															
CHBNFM	1.7	3.3	2.4	2.4	0	40.6	46.5	43.9	49.3	12	12.9	27.2	17.2	19.0	10
CHDIFM	1.6	1.7	2.8	2.0	-29	33.9	43.3	40.8	43.2	6	12.0	14.5	19.8	15.9	-20
CKNGFM	2.5	1.6	1.9	1.9	0	37.2	32.3	31.3	33.4	7	18.4	13.0	13.1	15.2	16
CFBRFM	2.4	1.9	2.3	1.5	-35	42.6	48.4	39.2	33.2	-15	17.6	15.9	15.9	12.2	-23
CISNFM	1.7	1.0	1.4	1.3	-7	31.9	24.5	28.4	24.5	-14	12.2	8.2	10.1	10.4	3
CFMGFM	1.0	1.1	1.3	1.2	-8	21.3	28.3	20.8	24.8	19	7.4	9.2	9.5	9.8	3
CHMCFM	0.6	0.1	0.2	0.6	200	11.3	5.7	9.4	11.1	18	4.4	0.7	1.3	4.7	262
CIRKFM	0.5	0.4	0.2	0.5	150	16.6	18.9	10.0	12.8	28	3.7	3.1	1.4	4.0	186
CHQT	0.3	0.1	0.0	0.4	-	5.3	3.1	2.1	3.6	71	2.5	0.5	0.2	3.4	1600
CHED	0.5	0.4	0.6	0.3	-50	20.6	12.5	11.9	12.8	8	3.7	3.7	4.3	2.7	-37
CKRAFM	0.6	0.5	0.7	0.2	-71	23.3	17.0	18.7	11.8	-37	4.6	4.1	4.6	1.8	-61
CFCW	0.0	0.0	0.3	0.1	-67	0.0	0.0	3.4	1.9	-44	-	-	2.3	0.4	-83
CFRN	0.1	0.0	0.0	0.0	-	1.3	0.6	2.0	2.5	25	0.5	0.0	0.2	0.1	-50
CFCWFM	0.0	0.0	0.0	0.0	-	0.7	0.7	0.7	1.8	157	0.1	0.0	0.0	0.3	-

Important Notice Re: Trending

Central AQH (000) and Central Cume (000) trends will be affected by the population adjustment.  
Share of Hours Tuned (%) trending will factor out the population change.



Central AQH (000)

Central Cume (000)

Share of Hrs Tuned % (Comm/Orig)

	Central AQH (000)					Central Cume (000)					Share of Hrs Tuned % (Comm/Orig)				
	S2/06	S4/06	S1/07	S2/07	% Diff S1/07 -S2/07	S2/06	S4/06	S1/07	S2/07	% Diff S1/07 -S2/07	S2/06	S4/06	S1/07	S2/07	% Diff S1/07 -S2/07
<b>Men 18-34</b>															
CHDIFM	3.2	2.5	3.0	4.1	37	36.0	45.8	40.8	48.9	20	20.9	14.9	17.3	30.8	78
CFBRFM	4.3	5.0	4.3	2.9	-33	50.7	57.0	49.1	42.6	-13	27.8	29.5	24.9	22.2	-11
CHBNFM	1.3	2.1	2.3	1.6	-30	26.0	32.8	33.2	33.3	0	8.1	12.4	13.3	11.9	-11
CKNGFM	1.1	1.2	1.6	0.9	-44	17.4	22.4	16.5	20.8	26	6.8	6.8	9.1	6.8	-25
CISNFM	0.7	1.2	2.6	0.9	-65	13.5	17.4	18.4	9.4	-49	4.4	7.3	15.4	6.8	-56
CHED	0.9	0.7	0.7	0.7	0	34.4	22.9	19.6	16.1	-18	6.0	3.9	4.1	5.0	22
CKRAFM	0.7	0.8	0.7	0.6	-14	14.7	13.6	13.6	6.9	-49	4.7	4.5	4.4	4.7	7
CIRKFM	1.2	2.3	1.0	0.6	-40	22.5	35.0	12.9	12.3	-5	7.5	13.5	6.1	4.6	-25
CFRN	1.2	0.6	0.3	0.4	33	10.4	9.6	9.2	9.6	4	8.0	3.5	2.0	2.8	40
CFMGFM	0.4	0.3	0.3	0.4	33	6.9	10.5	9.4	9.0	-4	2.5	1.6	1.9	2.7	42
CHMCFM	0.3	0.2	0.1	0.2	100	1.8	8.0	2.1	6.5	210	2.0	1.3	0.6	1.4	133
CFCW	0.1	0.0	0.0	0.0	-	0.8	1.4	0.0	0.0	-	0.4	0.3	-	-	-
CHQT	0.1	0.1	0.1	0.0	-	6.5	3.2	3.8	2.2	-42	0.8	0.5	0.8	0.2	-75
CFCWFM	0.0	0.0	0.0	0.0	-	0.0	0.6	1.7	0.0	-	-	0.1	0.1	-	-
<b>Adults 35-64</b>															
CHED	9.0	7.6	8.4	7.0	-17	139.2	124.6	132.4	113.5	-14	16.8	14.3	15.9	17.3	9
CKNGFM	5.1	6.3	7.4	6.4	-14	85.0	85.4	97.2	85.2	-12	9.6	11.9	14.0	16.0	14
CFMGFM	6.9	7.1	6.5	5.9	-9	82.0	80.2	81.6	84.0	3	12.9	13.3	12.4	14.7	19
CFBRFM	3.5	2.7	4.0	3.6	-10	48.1	37.2	46.2	45.6	-1	6.5	5.0	7.5	8.9	19
CISNFM	7.1	8.2	5.8	3.5	-40	78.7	73.3	68.0	51.3	-25	13.4	15.4	11.1	8.7	-22
CIRKFM	5.5	5.8	4.2	3.2	-24	70.3	72.2	61.4	56.7	-8	10.4	10.8	8.0	8.0	0
CHMCFM	2.8	4.1	2.5	2.3	-8	45.6	45.2	39.7	41.1	4	5.2	7.7	4.8	5.7	19
CHDIFM	2.4	1.7	2.0	1.9	-5	29.5	25.2	32.9	37.8	15	4.6	3.2	3.7	4.7	27
CFCW	2.9	1.7	3.8	1.5	-61	39.0	26.4	29.8	19.4	-35	5.5	3.3	7.2	3.8	-47
CHQT	3.2	3.2	3.7	1.5	-59	49.0	44.3	51.8	32.0	-38	6.1	6.0	7.0	3.8	-46
CHBNFM	1.3	1.4	1.8	1.4	-22	27.7	32.6	39.4	37.4	-5	2.3	2.5	3.5	3.4	-3
CKRAFM	2.8	2.6	1.8	1.2	-33	48.9	38.1	32.6	24.5	-25	5.2	4.9	3.5	2.9	-17
CFRN	0.8	0.8	0.6	0.8	33	12.6	17.1	16.8	20.5	22	1.5	1.6	1.1	2.1	91
CFCWFM	0.0	0.0	0.1	0.0	-	2.6	2.3	4.6	1.8	-61	0.1	0.1	0.3	0.0	-
<b>Women 35-64</b>															
CFMGFM	4.3	5.2	4.5	4.0	-11	48.8	51.0	50.5	51.4	2	16.8	20.6	18.1	20.0	10
CKNGFM	3.1	3.4	3.4	3.6	6	44.0	45.5	48.7	40.1	-18	12.3	13.4	13.9	17.7	27
CHED	3.3	2.8	2.9	2.6	-10	53.7	48.6	50.8	43.0	-15	12.9	10.8	11.6	12.8	10
CISNFM	4.7	4.9	3.7	2.4	-35	49.1	41.8	40.3	30.3	-25	18.5	19.1	15.0	12.1	-19
CHMCFM	1.7	2.4	1.4	1.6	14	23.5	23.9	22.1	22.8	3	6.6	9.2	5.5	7.8	42
CFBRFM	1.1	0.7	0.7	1.3	86	17.7	14.3	18.4	19.3	5	4.5	2.7	2.8	6.3	125
CHBNFM	0.8	1.0	1.1	1.0	-9	15.8	20.9	23.6	26.0	10	3.3	3.8	4.3	4.8	12
CFCW	1.6	1.0	2.0	0.9	-55	19.4	13.4	15.1	10.6	-30	6.3	4.1	8.2	4.4	-46
CHQT	1.2	1.2	1.9	0.8	-58	21.8	20.2	26.3	14.0	-47	4.8	4.8	7.8	3.8	-51
CIRKFM	1.4	1.5	1.0	0.7	-30	25.0	22.0	22.6	19.5	-14	5.7	5.8	3.9	3.6	-8
CHDIFM	0.5	0.4	0.7	0.7	0	12.6	8.4	14.9	15.3	3	2.2	1.5	2.8	3.2	14
CKRAFM	1.4	0.9	1.4	0.6	-57	26.6	19.5	19.3	11.7	-39	5.5	3.7	5.7	2.8	-51
CFRN	0.1	0.1	0.0	0.1	-	2.2	2.2	2.4	1.8	-25	0.6	0.4	0.2	0.6	200
CFCWFM	0.0	0.0	0.1	0.0	-	1.6	1.9	1.8	0.5	-72	0.1	0.1	0.2	0.0	-
<b>Men 35-64</b>															
CHED	5.7	4.8	5.5	4.4	-20	85.5	76.0	81.6	70.4	-14	20.4	17.4	19.7	21.9	11
CKNGFM	2.0	2.9	3.9	2.8	-28	41.0	39.9	48.5	45.2	-7	7.1	10.6	14.1	14.1	0
CIRKFM	4.1	4.3	3.2	2.5	-22	45.3	50.3	38.8	37.2	-4	14.7	15.5	11.5	12.5	9
CFBRFM	2.3	2.0	3.3	2.3	-30	30.3	22.9	27.8	26.3	-5	8.3	7.1	11.7	11.5	-2
CFMGFM	2.6	1.8	2.0	1.9	-5	33.2	29.2	31.1	32.6	5	9.3	6.5	7.3	9.4	29
CHDIFM	1.9	1.3	1.3	1.2	-8	16.9	16.8	18.0	22.5	25	6.8	4.7	4.6	6.1	33
CISNFM	2.4	3.3	2.1	1.0	-52	29.6	31.5	27.7	20.9	-25	8.7	12.1	7.6	5.2	-32
CHQT	2.0	2.0	1.8	0.8	-56	27.2	24.1	25.5	18.0	-29	7.2	7.1	6.3	3.8	-40
CFRN	0.7	0.8	0.5	0.7	40	10.4	14.9	14.3	18.6	30	2.4	2.7	1.9	3.6	89
CHMCFM	1.1	1.7	1.2	0.7	-42	22.1	21.3	17.6	18.3	4	4.0	6.3	4.2	3.6	-14
CFCW	1.3	0.7	1.8	0.6	-67	19.5	13.0	14.6	8.8	-40	4.7	2.5	6.4	3.1	-52
CKRAFM	1.4	1.7	0.4	0.6	50	22.3	18.6	13.3	12.8	-4	4.9	6.1	1.5	3.0	100
CHBNFM	0.4	0.4	0.8	0.4	-50	11.9	11.7	15.8	11.3	-28	1.5	1.4	2.8	2.0	-29
CFCWFM	0.0	0.0	0.1	0.0	-	0.9	0.4	2.8	1.3	-54	0.0	0.0	0.3	0.0	-

Important Notice Re: Trending

Central AQH (000) and Central Cume (000) trends will be affected by the population adjustment.  
Share of Hours Tuned (%) trending will factor out the population change.

