

Central AQH (000)

Central Cume (000)

Share of Hrs Tuned % (Comm/Orig)

	Central AQH (000)				% Diff S2/07 -S4/07	Central Cume (000)				% Diff S2/07 -S4/07	Share of Hrs Tuned % (Comm/Orig)				% Diff S2/07 -S4/07
	S4/06	S1/07	S2/07	S4/07		S4/06	S1/07	S2/07	S4/07		S4/06	S1/07	S2/07	S4/07	
Adults 18-49															
CFBRFM	9.2	10.3	7.7	11.1	44	136.6	130.1	115.1	136.1	18	15.2	16.7	15.3	18.9	24
CKNGFM	7.5	9.3	8.0	8.1	1	122.0	125.4	123.3	118.1	-4	12.4	15.1	15.8	13.8	-13
CHBNFM	6.5	6.4	5.1	7.4	45	105.4	109.7	111.9	116.9	4	10.6	10.4	10.0	12.6	26
CISNFM	7.5	7.4	4.3	6.5	51	86.9	87.7	65.3	82.6	26	12.3	12.1	8.6	11.0	28
CFMGFM	5.0	4.7	4.7	5.3	13	83.0	74.2	75.7	76.8	1	8.2	7.6	9.2	9.1	-1
CHDIFM	5.5	7.6	7.8	4.9	-37	108.4	110.9	125.8	96.0	-24	9.0	12.3	15.4	8.4	-45
CIRKFM	6.9	4.2	3.6	4.5	25	106.0	68.5	68.9	73.6	7	11.3	6.8	7.1	7.6	7
CHED	4.6	4.5	3.9	4.0	3	104.4	101.0	86.5	81.0	-6	7.6	7.4	7.8	6.7	-14
CKRAFM	2.8	2.9	1.4	1.7	21	53.6	56.0	32.8	39.2	20	4.7	4.8	2.8	2.9	4
CFRN	1.1	0.8	1.0	1.5	50	19.9	21.7	25.4	26.5	4	1.9	1.2	2.0	2.5	25
CHMCFM	2.4	1.1	1.9	1.5	-21	37.4	30.9	35.1	30.4	-13	3.9	1.8	3.9	2.6	-33
CFCW	0.4	1.0	0.4	1.2	200	7.5	9.1	6.1	9.2	51	0.7	1.6	0.7	2.1	200
CHQT	1.5	1.2	0.7	1.1	57	22.9	23.0	16.1	18.5	15	2.4	1.9	1.4	1.8	29
CFCWFM	0.0	0.1	0.0		-	2.8	5.8	3.2		-	0.1	0.2	0.1		-
CKUAFM					-					-					-
Women 18-49															
CKNGFM	4.2	4.3	5.0	5.0	0	68.7	68.6	67.4	63.4	-6	15.8	15.6	19.9	17.7	-11
CHBNFM	4.0	3.4	3.2	4.9	53	62.7	63.0	70.0	68.3	-2	15.2	12.1	12.5	17.2	38
CISNFM	4.0	3.7	3.0	4.5	50	49.7	52.5	44.8	53.9	20	14.9	13.2	11.8	15.8	34
CFMGFM	3.9	3.6	3.5	3.6	3	57.2	49.4	51.8	48.9	-6	14.6	12.9	13.9	12.6	-9
CFBRFM	2.5	2.9	2.7	3.2	19	60.5	55.9	49.9	57.8	16	9.3	10.5	10.5	11.2	7
CHED	1.6	1.7	1.4	1.4	0	36.8	36.6	33.1	31.2	-6	5.9	6.0	5.6	5.1	-9
CHDIFM	1.9	3.5	2.6	1.3	-50	49.1	54.7	56.9	37.3	-34	7.3	12.5	10.2	4.6	-55
CKRAFM	1.1	1.8	0.6	1.1	83	28.5	33.2	18.9	24.2	28	4.2	6.6	2.2	4.0	82
CHMCFM	1.3	0.7	1.4	1.0	-29	17.5	21.6	20.5	17.4	-15	4.9	2.6	5.6	3.6	-36
CIRKFM	1.5	0.9	1.0	0.9	-10	35.0	27.8	28.2	25.7	-9	5.5	3.4	4.1	3.0	-27
CFCW	0.1	0.7	0.2	0.8	300	2.4	6.4	4.0	4.3	8	0.5	2.3	1.0	2.7	170
CHQT	0.5	0.4	0.5	0.7	40	10.3	11.2	7.4	8.1	9	1.7	1.6	2.0	2.3	15
CFRN	0.0	0.1	0.1	0.0	-	1.0	3.5	3.4	1.2	-65	0.0	0.3	0.4	0.2	-50
CFCWFM	0.0	0.1	0.0		-	2.3	2.1	2.3		-	0.1	0.2	0.1		-
CKUAFM					-					-					-
Men 18-49															
CFBRFM	6.8	7.3	5.1	7.9	55	76.1	74.2	65.1	78.3	20	19.7	21.9	20.1	26.1	30
CIRKFM	5.4	3.2	2.5	3.6	44	71.0	40.7	40.7	47.8	17	15.7	9.7	10.1	11.8	17
CHDIFM	3.6	4.1	5.2	3.6	-31	59.3	56.2	68.9	58.8	-15	10.4	12.2	20.6	11.8	-43
CKNGFM	3.3	4.9	3.0	3.1	3	53.3	56.8	56.0	54.7	-2	9.7	14.6	11.7	10.2	-13
CHED	3.1	2.9	2.5	2.5	0	67.5	64.4	53.4	49.8	-7	8.9	8.5	9.9	8.3	-16
CHBNFM	2.4	3.0	1.9	2.5	32	42.7	46.7	41.9	48.7	16	7.0	9.0	7.5	8.4	12
CISNFM	3.5	3.7	1.3	2.0	54	37.3	35.2	20.5	28.6	40	10.2	11.1	5.3	6.5	23
CFMGFM	1.1	1.1	1.1	1.8	64	25.9	24.8	23.9	27.9	17	3.2	3.3	4.5	5.9	31
CFRN	1.1	0.7	0.9	1.4	56	18.9	18.2	22.0	25.3	15	3.3	2.1	3.6	4.7	31
CKRAFM	1.7	1.1	0.8	0.6	-25	25.1	22.8	13.9	15.0	8	5.0	3.2	3.3	1.9	-42
CFCW	0.3	0.3	0.1	0.5	400	5.1	2.7	2.1	4.9	133	0.9	1.0	0.4	1.5	275
CHMCFM	1.0	0.4	0.5	0.5	0	19.9	9.3	14.5	12.9	-11	3.0	1.2	2.1	1.7	-19
CHQT	1.0	0.7	0.2	0.4	100	12.6	11.7	8.8	10.4	18	2.9	2.2	0.8	1.3	63
CFCWFM	0.0	0.1	0.0		-	0.6	3.6	0.9		-	0.0	0.2	0.0		-
CKUAFM					-					-					-
Adults 25-54															
CFBRFM	7.1	8.3	6.4	9.6	50	94.1	95.4	85.5	113.6	33	12.1	14.0	13.3	16.8	26
CKNGFM	7.8	8.9	8.2	8.5	4	117.6	123.0	115.9	116.5	1	13.2	15.0	17.1	14.8	-13
CFMGFM	5.7	5.5	5.3	6.6	25	82.5	75.8	82.0	82.6	1	9.7	9.3	11.1	11.5	4
CISNFM	7.9	7.0	4.1	6.1	49	82.5	75.4	61.4	72.8	19	13.4	11.9	8.6	10.7	24
CIRKFM	7.5	4.5	3.6	5.4	50	94.9	72.0	64.1	77.9	22	12.7	7.7	7.5	9.5	27
CHBNFM	3.5	4.0	3.4	5.1	50	65.6	79.9	77.8	79.1	2	6.0	6.7	7.1	9.0	27
CHED	5.4	6.4	4.9	4.8	-2	116.3	118.6	97.5	93.6	-4	9.2	10.8	10.2	8.3	-19
CHDIFM	3.9	5.3	5.7	3.2	-44	72.7	80.5	94.1	70.0	-26	6.7	9.0	12.0	5.6	-53
CHQT	2.4	2.5	1.1	2.1	91	32.0	36.4	21.9	24.1	10	4.0	4.2	2.3	3.6	57
CHMCFM	2.9	1.8	2.0	1.7	-15	39.8	37.0	39.4	35.4	-10	5.0	3.0	4.2	3.0	-29
CKRAFM	2.9	2.7	1.4	1.6	14	48.2	49.4	30.7	35.4	15	5.0	4.5	3.0	2.8	-7
CFRN	1.1	0.9	1.1	1.6	45	22.0	24.3	25.3	27.7	9	1.9	1.5	2.2	2.8	27
CFCW	0.7	1.2	0.6	1.0	67	11.2	12.5	10.2	10.4	2	1.1	2.1	1.2	1.7	42
CFCWFM	0.0	0.1	0.0		-	1.6	6.0	3.1		-	0.0	0.3	0.1		-
CKUAFM					-					-					-

Important Notice Re: Trending

Central AQH (000) and Central Cume (000) trends will be affected by the population adjustment.
Share of Hours Tuned (%) trending will factor out the population change.



Central AQH (000)

Central Cume (000)

Share of Hrs Tuned % (Comm/Orig)

	Central AQH (000)					Central Cume (000)					Share of Hrs Tuned % (Comm/Orig)				
	S4/06	S1/07	S2/07	S4/07	% Diff S2/07 -S4/07	S4/06	S1/07	S2/07	S4/07	% Diff S2/07 -S4/07	S4/06	S1/07	S2/07	S4/07	% Diff S2/07 -S4/07
Women 25-54															
CKNGFM	4.3	4.2	4.8	5.2	8	65.5	66.5	61.8	61.1	-1	16.4	15.7	20.7	19.0	-8
CISNFM	4.4	3.8	2.6	4.4	69	48.0	46.1	39.8	49.4	24	16.8	14.3	11.3	16.1	42
CFMGFM	4.6	4.2	3.8	4.3	13	55.1	51.2	52.8	52.2	-1	17.7	15.9	16.3	15.9	-2
CHBNFM	2.1	2.3	2.2	3.3	50	40.6	46.5	48.9	45.5	-7	8.0	8.8	9.5	12.0	26
CFBRFM	1.9	2.2	2.2	2.8	27	42.2	40.3	36.6	45.8	25	7.3	8.2	9.3	10.3	11
CHED	1.9	2.1	1.7	1.6	-6	41.9	42.8	36.7	34.6	-6	7.1	8.0	7.2	6.0	-17
CHMCFM	1.7	1.1	1.3	1.2	-8	20.2	23.2	23.0	21.3	-7	6.5	4.3	5.8	4.2	-28
CHDIFM	1.6	1.6	1.9	1.1	-42	33.6	34.5	40.6	26.7	-34	6.0	6.1	8.0	4.1	-49
CHQT	0.8	1.3	0.7	1.0	43	14.9	18.4	10.0	11.6	16	3.2	4.7	3.2	3.8	19
CIRKFM	1.6	1.0	1.0	1.0	0	29.8	27.6	26.0	27.1	4	6.2	3.8	4.2	3.8	-10
CKRAFM	0.9	1.8	0.6	0.9	50	24.9	29.5	17.6	18.7	6	3.6	6.9	2.4	3.4	42
CFCW	0.3	0.8	0.3	0.3	0	4.4	8.2	5.7	3.9	-32	1.2	2.9	1.3	1.0	-23
CFRN	0.0	0.1	0.1	0.1	0	1.6	3.1	3.5	1.9	-46	0.0	0.2	0.5	0.3	-40
CFCWFM	0.0	0.1	0.0		-	1.6	2.1	1.8		-	0.1	0.2	0.2		-
CKUAFM					-					-					-
Men 25-54															
CFBRFM	5.2	6.1	4.2	6.8	62	51.8	55.1	48.9	67.8	39	15.9	18.8	17.1	22.6	32
CIRKFM	5.9	3.5	2.6	4.4	69	65.1	44.4	38.1	50.8	33	17.9	10.9	10.6	14.6	38
CKNGFM	3.5	4.7	3.4	3.3	-3	52.0	56.5	54.0	55.3	2	10.6	14.5	13.8	10.9	-21
CHED	3.6	4.3	3.2	3.1	-3	74.3	75.9	60.8	59.0	-3	10.9	13.1	13.0	10.4	-20
CFMGFM	1.1	1.2	1.5	2.3	53	27.5	24.6	29.1	30.4	4	3.4	3.8	6.3	7.6	21
CHDIFM	2.4	3.7	3.9	2.1	-46	39.1	46.0	53.6	43.3	-19	7.2	11.3	15.7	7.0	-55
CHBNFM	1.4	1.6	1.2	1.9	58	25.0	33.4	28.9	33.6	16	4.3	5.1	4.8	6.2	29
CISNFM	3.5	3.2	1.5	1.7	13	34.4	29.4	21.6	23.4	8	10.7	10.0	6.1	5.8	-5
CFRN	1.1	0.8	0.9	1.5	67	20.4	21.2	21.8	25.8	18	3.4	2.5	3.9	5.0	28
CHQT	1.6	1.2	0.3	1.0	233	17.1	18.0	12.0	12.5	4	4.7	3.8	1.4	3.4	143
CFCW	0.4	0.5	0.3	0.7	133	6.7	4.3	4.5	6.5	44	1.1	1.4	1.1	2.2	100
CKRAFM	2.0	0.9	0.9	0.7	-22	23.3	19.9	13.1	16.7	27	6.1	2.7	3.5	2.3	-34
CHMCFM	1.2	0.6	0.6	0.6	0	19.6	13.7	16.4	14.1	-14	3.8	1.9	2.6	2.0	-23
CFCWFM	0.0	0.1	0.0		-	0.0	3.8	1.3		-	-	0.3	0.0		-
CKUAFM					-					-					-
Adults 18-34															
CFBRFM	6.9	6.5	4.4	8.0	82	105.3	88.2	75.8	92.5	22	23.9	20.8	17.4	27.4	57
CHBNFM	5.4	4.7	3.9	5.3	36	79.3	77.1	82.5	85.4	4	18.5	15.0	15.3	18.3	20
CHDIFM	4.3	5.8	6.0	3.7	-38	89.2	81.6	92.1	70.7	-23	14.7	18.4	23.6	12.6	-47
CKNGFM	2.7	3.4	2.8	2.5	-11	54.7	47.8	54.2	50.0	-8	9.3	10.9	10.9	8.6	-21
CISNFM	2.2	4.1	2.2	2.1	-5	41.9	46.8	33.9	39.5	17	7.7	13.0	8.5	7.2	-15
CFMGFM	1.4	1.7	1.6	1.8	13	38.8	30.3	33.8	33.1	-2	4.8	5.3	6.2	6.3	2
CHED	1.1	1.3	1.0	1.4	40	35.5	31.5	28.9	29.6	2	3.8	4.2	3.9	4.7	21
CIRKFM	2.7	1.2	1.1	1.2	9	53.9	23.0	25.0	34.7	39	9.2	4.0	4.3	4.3	0
CHMCFM	0.3	0.3	0.8	0.9	13	13.7	11.5	17.6	15.8	-10	1.0	0.9	3.0	3.1	3
CFCW	0.0	0.3	0.1	0.7	600	1.4	3.4	1.9	2.2	16	0.2	1.1	0.2	2.3	1050
CKRAFM	1.2	1.4	0.8	0.7	-13	30.6	32.2	18.8	18.1	-4	4.3	4.5	3.3	2.3	-30
CFRN	0.6	0.4	0.4	0.7	75	10.2	11.2	12.1	11.8	-2	2.1	1.2	1.5	2.5	67
CHQT	0.1	0.2	0.4	0.2	-50	6.3	5.9	5.9	5.8	-2	0.5	0.5	1.7	0.6	-65
CFCWFM	0.0	0.0	0.0		-	1.2	2.3	1.8		-	0.0	0.1	0.1		-
CKUAFM					-					-					-
Women 18-34															
CHBNFM	3.3	2.4	2.4	3.8	58	46.5	43.9	49.3	51.9	5	27.2	17.2	19.0	26.4	39
CFBRFM	1.9	2.3	1.5	2.3	53	48.4	39.2	33.2	42.6	28	15.9	15.9	12.2	16.1	32
CKNGFM	1.6	1.9	1.9	1.8	-5	32.3	31.3	33.4	26.5	-21	13.0	13.1	15.2	12.3	-19
CISNFM	1.0	1.4	1.3	1.6	23	24.5	28.4	24.5	27.1	11	8.2	10.1	10.4	10.9	5
CFMGFM	1.1	1.3	1.2	1.3	8	28.3	20.8	24.8	21.3	-14	9.2	9.5	9.8	9.1	-7
CHDIFM	1.7	2.8	2.0	0.9	-55	43.3	40.8	43.2	27.1	-37	14.5	19.8	15.9	6.1	-62
CFCW	0.0	0.3	0.1	0.7	600	0.0	3.4	1.9	1.4	-26	-	2.3	0.4	4.6	1050
CHMCFM	0.1	0.2	0.6	0.7	17	5.7	9.4	11.1	8.9	-20	0.7	1.3	4.7	4.7	0
CKRAFM	0.5	0.7	0.2	0.6	200	17.0	18.7	11.8	13.9	18	4.1	4.6	1.8	4.2	133
CHED	0.4	0.6	0.3	0.4	33	12.5	11.9	12.8	11.1	-13	3.7	4.3	2.7	2.9	7
CIRKFM	0.4	0.2	0.5	0.3	-40	18.9	10.0	12.8	11.8	-8	3.1	1.4	4.0	2.1	-48
CHQT	0.1	0.0	0.4	0.1	-75	3.1	2.1	3.6	1.5	-58	0.5	0.2	3.4	0.5	-85
CFRN	0.0	0.0	0.0	0.0	-	0.6	2.0	2.5	0.7	-72	0.0	0.2	0.1	0.1	0
CFCWFM	0.0	0.0	0.0		-	0.7	0.7	1.8		-	0.0	0.0	0.3		-
CKUAFM					-					-					-

Important Notice Re: Trending

Central AQH (000) and Central Cume (000) trends will be affected by the population adjustment.
Share of Hours Tuned (%) trending will factor out the population change.



Central AQH (000)

Central Cume (000)

Share of Hrs Tuned % (Comm/Orig)

	Central AQH (000)				% Diff S2/07 -S4/07	Central Cume (000)				% Diff S2/07 -S4/07	Share of Hrs Tuned % (Comm/Orig)				% Diff S2/07 -S4/07
	S4/06	S1/07	S2/07	S4/07		S4/06	S1/07	S2/07	S4/07		S4/06	S1/07	S2/07	S4/07	
Men 18-34															
CFBRFM	5.0	4.3	2.9	5.7	97	57.0	49.1	42.6	49.9	17	29.5	24.9	22.2	38.4	73
CHDIFM	2.5	3.0	4.1	2.8	-32	45.8	40.8	48.9	43.6	-11	14.9	17.3	30.8	18.8	-39
CHBNFM	2.1	2.3	1.6	1.5	-6	32.8	33.2	33.3	33.5	1	12.4	13.3	11.9	10.4	-13
CHED	0.7	0.7	0.7	0.9	29	22.9	19.6	16.1	18.5	15	3.9	4.1	5.1	6.4	25
CIRKFM	2.3	1.0	0.6	0.9	50	35.0	12.9	12.3	22.9	86	13.5	6.1	4.6	6.4	39
CKNGFM	1.2	1.6	0.9	0.7	-22	22.4	16.5	20.8	23.4	13	6.8	9.1	6.8	5.0	-26
CFRN	0.6	0.3	0.4	0.7	75	9.6	9.2	9.6	11.1	16	3.5	2.0	2.8	4.8	71
CISNFM	1.2	2.6	0.9	0.5	-44	17.4	18.4	9.4	12.4	32	7.3	15.4	6.8	3.6	-47
CFMGFM	0.3	0.3	0.4	0.5	25	10.5	9.4	9.0	11.8	31	1.6	1.9	2.7	3.6	33
CHMCFM	0.2	0.1	0.2	0.2	0	8.0	2.1	6.5	6.9	6	1.3	0.6	1.4	1.4	0
CKRAFM	0.8	0.7	0.6	0.1	-83	13.6	13.6	6.9	4.2	-39	4.5	4.4	4.7	0.5	-89
CHQT	0.1	0.1	0.0	0.1	-	3.2	3.8	2.2	4.4	100	0.5	0.8	0.2	0.6	200
CFCW	0.0	0.0	0.0	0.0	-	1.4	0.0	0.0	0.8	-	0.3	-	-	0.1	-67
CFCWFM	0.0	0.0	0.0	-	-	0.6	1.7	0.0	-	-	0.1	0.1	-	-	-
CKUAFM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Adults 35-64															
CFMGFM	7.1	6.5	5.9	7.7	31	80.2	81.6	84.0	85.3	2	13.3	12.4	14.7	14.8	1
CKNGFM	6.3	7.4	6.4	7.4	16	85.4	97.2	85.2	87.7	3	11.9	14.0	16.0	14.1	-12
CISNFM	8.2	5.8	3.5	6.7	91	73.3	68.0	51.3	70.0	36	15.4	11.1	8.7	12.8	47
CHED	7.6	8.4	7.0	6.2	-11	124.6	132.4	113.5	101.0	-11	14.3	15.9	17.3	11.9	-31
CIRKFM	5.8	4.2	3.2	5.1	59	72.2	61.4	56.7	59.2	4	10.8	8.0	8.0	9.6	20
CHQT	3.2	3.7	1.5	4.0	167	44.3	51.8	32.0	43.0	34	6.0	7.0	3.8	7.6	100
CFBRFM	2.7	4.0	3.6	4.0	11	37.2	46.2	45.6	55.1	21	5.0	7.5	8.9	7.6	-15
CFCW	1.7	3.8	1.5	2.9	93	26.4	29.8	19.4	30.7	58	3.3	7.2	3.8	5.6	47
CHBNFM	1.4	1.8	1.4	2.3	64	32.6	39.4	37.4	40.1	7	2.5	3.5	3.4	4.3	26
CKRAFM	2.6	1.8	1.2	1.7	42	38.1	32.6	24.5	35.1	43	4.9	3.5	2.9	3.3	14
CHMCFM	4.1	2.5	2.3	1.7	-26	45.2	39.7	41.1	33.7	-18	7.7	4.8	5.7	3.3	-42
CHDIFM	1.7	2.0	1.9	1.6	-16	25.2	32.9	37.8	33.5	-11	3.2	3.7	4.7	3.0	-36
CFRN	0.8	0.6	0.8	1.2	50	17.1	16.8	20.5	22.7	11	1.6	1.1	2.1	2.2	5
CFCWFM	0.0	0.1	0.0	-	-	2.3	4.6	1.8	-	-	0.1	0.3	0.0	-	-
CKUAFM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Women 35-64															
CISNFM	4.9	3.7	2.4	4.7	96	41.8	40.3	30.3	43.6	44	19.1	15.0	12.1	19.2	59
CFMGFM	5.2	4.5	4.0	4.5	13	51.0	50.5	51.4	50.5	-2	20.6	18.1	20.0	18.4	-8
CKNGFM	3.4	3.4	3.6	4.1	14	45.5	48.7	40.1	45.1	12	13.4	13.9	17.7	16.8	-5
CHED	2.8	2.9	2.6	2.4	-8	48.6	50.8	43.0	38.2	-11	10.8	11.6	12.8	10.0	-22
CHQT	1.2	1.9	0.8	2.0	150	20.2	26.3	14.0	20.3	45	4.8	7.8	3.8	8.2	116
CFCW	1.0	2.0	0.9	1.3	44	13.4	15.1	10.6	13.3	25	4.1	8.2	4.4	5.4	23
CHBNFM	1.0	1.1	1.0	1.2	20	20.9	23.6	26.0	21.4	-18	3.8	4.3	4.8	4.9	2
CFBRFM	0.7	0.7	1.3	1.0	-23	14.3	18.4	19.3	20.1	4	2.7	2.8	6.3	3.9	-38
CIRKFM	1.5	1.0	0.7	0.9	29	22.0	22.6	19.5	19.8	2	5.8	3.9	3.6	3.8	6
CHMCFM	2.4	1.4	1.6	0.9	-44	23.9	22.1	22.8	19.5	-14	9.2	5.5	7.8	3.5	-55
CKRAFM	0.9	1.4	0.6	0.8	33	19.5	19.3	11.7	16.4	40	3.7	5.7	2.8	3.2	14
CHDIFM	0.4	0.7	0.7	0.6	-14	8.4	14.9	15.3	13.3	-13	1.5	2.8	3.2	2.4	-25
CFRN	0.1	0.0	0.1	0.1	0	2.2	2.4	1.8	1.5	-17	0.4	0.2	0.6	0.2	-67
CFCWFM	0.0	0.1	0.0	-	-	1.9	1.8	0.5	-	-	0.1	0.2	0.0	-	-
CKUAFM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Men 35-64															
CIRKFM	4.3	3.2	2.5	4.1	64	50.3	38.8	37.2	39.4	6	15.5	11.5	12.5	14.8	18
CHED	4.8	5.5	4.4	3.8	-14	76.0	81.6	70.4	62.8	-11	17.4	19.7	21.9	13.5	-38
CKNGFM	2.9	3.9	2.8	3.3	18	39.9	48.5	45.2	42.6	-6	10.6	14.1	14.1	11.7	-17
CFMGFM	1.8	2.0	1.9	3.3	74	29.2	31.1	32.6	34.8	7	6.5	7.3	9.4	11.6	23
CFBRFM	2.0	3.3	2.3	3.0	30	22.9	27.8	26.3	35.0	33	7.1	11.7	11.5	10.8	-6
CHQT	2.0	1.8	0.8	2.0	150	24.1	25.5	18.0	22.8	27	7.1	6.3	3.8	7.0	84
CISNFM	3.3	2.1	1.0	2.0	100	31.5	27.7	20.9	26.4	26	12.1	7.6	5.2	7.2	38
CFCW	0.7	1.8	0.6	1.6	167	13.0	14.6	8.8	17.4	98	2.5	6.4	3.1	5.7	84
CFRN	0.8	0.5	0.7	1.1	57	14.9	14.3	18.6	21.3	15	2.7	1.9	3.6	3.9	8
CHBNFM	0.4	0.8	0.4	1.1	175	11.7	15.8	11.3	18.7	65	1.4	2.8	2.0	3.9	95
CHDIFM	1.3	1.3	1.2	1.0	-17	16.8	18.0	22.5	20.2	-10	4.7	4.6	6.1	3.6	-41
CKRAFM	1.7	0.4	0.6	0.9	50	18.6	13.3	12.8	18.6	45	6.1	1.5	3.0	3.3	10
CHMCFM	1.7	1.2	0.7	0.8	14	21.3	17.6	18.3	14.2	-22	6.3	4.2	3.6	3.0	-17
CFCWFM	0.0	0.1	0.0	-	-	0.4	2.8	1.3	-	-	0.0	0.3	0.0	-	-
CKUAFM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Important Notice Re: Trending

Central AQH (000) and Central Cume (000) trends will be affected by the population adjustment.
Share of Hours Tuned (%) trending will factor out the population change.

