

	Central AQH (000)					Central Cume (000)					Share of Hrs Tuned % (Comm/Orig)				
	S1/07	S2/07	S4/07	S1/08	% Diff	S1/07	S2/07	S4/07	S1/08	% Diff	S1/07	S2/07	S4/07	S1/08	% Diff
					S4/07 -S1/08					S4/07 -S1/08					S4/07 -S1/08
Adults 18-49															
CFBRFM	10.3	7.7	11.1	9.8	-11	130.1	115.1	136.1	115.9	-14	16.7	15.3	18.4	15.4	-16
CKNGFM	9.3	8.0	8.1	8.3	2	125.4	123.3	118.1	113.5	-3	15.1	15.8	13.4	13.0	-2
CISNFM	7.4	4.3	6.5	7.9	21	87.7	65.3	82.6	82.9	0	12.1	8.6	10.7	12.5	16
CHBNFM	6.4	5.1	7.4	6.5	-12	109.7	111.9	116.9	110.6	-5	10.4	10.0	12.3	10.2	-17
CHDIFM	7.6	7.8	4.9	6.4	30	110.9	125.8	96.0	94.7	-1	12.3	15.4	8.1	10.0	23
CFMGFM	4.7	4.7	5.3	6.3	18	74.2	75.7	76.8	77.3	0	7.6	9.2	8.9	10.0	12
CHED	4.5	3.9	4.0	5.5	37	101.0	86.5	81.0	107.8	33	7.4	7.8	6.6	8.7	31
CIRKFM	4.2	3.6	4.5	4.1	-8	68.5	68.9	73.6	61.5	-16	6.8	7.1	7.4	6.5	-12
CFRN	0.8	1.0	1.5	1.8	20	21.7	25.4	26.5	26.2	-1	1.2	2.0	2.4	2.8	16
CKRAFM	2.9	1.4	1.7	1.6	-5	56.0	32.8	39.2	38.5	-1	4.8	2.8	2.8	2.6	-7
CHMCFM	1.1	1.9	1.5	1.5	0	30.9	35.1	30.4	30.5	0	1.8	3.9	2.5	2.3	-8
CFCW	1.0	0.4	1.2	1.4	16	9.1	6.1	9.2	15.8	71	1.6	0.7	2.1	2.1	0
CKUA			1.6	1.3	-18			20.9	23.5	12			2.6	2.1	-19
CHQT	1.2	0.7	1.1	1.2	9	23.0	16.1	18.5	20.5	10	1.9	1.4	1.7	1.8	5
CFCWFM	0.1	0.0			-	5.8	3.2			-	0.2	0.1			-
Women 18-49															
CISNFM	3.7	3.0	4.5	6.0	33	52.5	44.8	53.9	54.3	0	13.2	11.8	15.5	19.8	27
CFMGFM	3.6	3.5	3.6	4.8	33	49.4	51.8	48.9	54.2	10	12.9	13.9	12.3	16.0	30
CKNGFM	4.3	5.0	5.0	4.0	-20	68.6	67.4	63.4	61.9	-2	15.6	19.9	17.3	13.1	-24
CHBNFM	3.4	3.2	4.9	3.6	-26	63.0	70.0	68.3	66.7	-2	12.1	12.5	16.8	12.0	-28
CHDIFM	3.5	2.6	1.3	2.8	115	54.7	56.9	37.3	46.1	23	12.5	10.2	4.5	9.2	104
CFBRFM	2.9	2.7	3.2	2.7	-15	55.9	49.9	57.8	46.6	-19	10.5	10.5	10.9	8.9	-18
CHED	1.7	1.4	1.4	1.8	28	36.6	33.1	31.2	42.3	35	6.0	5.6	4.9	5.8	18
CHMCFM	0.7	1.4	1.0	1.1	10	21.6	20.5	17.4	20.7	18	2.6	5.6	3.5	3.7	5
CIRKFM	0.9	1.0	0.9	1.0	11	27.8	28.2	25.7	21.5	-16	3.4	4.1	3.0	3.4	13
CFCW	0.7	0.2	0.8	0.9	12	6.4	4.0	4.3	7.4	72	2.3	1.0	2.7	2.9	7
CKRAFM	1.8	0.6	1.1	0.9	-18	33.2	18.9	24.2	21.7	-10	6.6	2.2	3.9	3.1	-20
CKUA			0.7	0.4	-42			10.1	8.9	-11			2.4	1.2	-50
CHQT	0.4	0.5	0.7	0.2	-71	11.2	7.4	8.1	9.7	19	1.6	2.0	2.3	0.7	-69
CFRN	0.1	0.1	0.0	0.1	-	3.5	3.4	1.2	2.4	100	0.3	0.4	0.2	0.2	0
CFCWFM	0.1	0.0			-	2.1	2.3			-	0.2	0.1			-
Men 18-49															
CFBRFM	7.3	5.1	7.9	7.1	-10	74.2	65.1	78.3	69.3	-11	21.9	20.1	25.4	21.2	-16
CKNGFM	4.9	3.0	3.1	4.3	38	56.8	56.0	54.7	51.5	-5	14.6	11.7	9.9	13.0	31
CHED	2.9	2.5	2.5	3.8	52	64.4	53.4	49.8	65.4	31	8.5	9.9	8.1	11.3	39
CHDIFM	4.1	5.2	3.6	3.6	0	56.2	68.9	58.8	48.6	-17	12.2	20.6	11.5	10.7	-6
CIRKFM	3.2	2.5	3.6	3.1	-13	40.7	40.7	47.8	40.1	-16	9.7	10.1	11.5	9.3	-19
CHBNFM	3.0	1.9	2.5	2.9	16	46.7	41.9	48.7	43.9	-9	9.0	7.5	8.1	8.7	7
CISNFM	3.7	1.3	2.0	2.0	0	35.2	20.5	28.6	28.6	0	11.1	5.3	6.3	5.9	-6
CFRN	0.7	0.9	1.4	1.7	21	18.2	22.0	25.3	23.8	-5	2.1	3.6	4.5	5.2	15
CFMGFM	1.1	1.1	1.8	1.5	-16	24.8	23.9	27.9	23.1	-17	3.3	4.5	5.7	4.5	-21
CHQT	0.7	0.2	0.4	1.0	150	11.7	8.8	10.4	10.8	3	2.2	0.8	1.2	2.8	133
CKUA			0.9	1.0	11			10.8	14.6	35			2.8	2.9	3
CKRAFM	1.1	0.8	0.6	0.7	16	22.8	13.9	15.0	16.8	12	3.2	3.3	1.8	2.1	16
CFCW	0.3	0.1	0.5	0.5	0	2.7	2.1	4.9	8.4	71	1.0	0.4	1.5	1.4	-6
CHMCFM	0.4	0.5	0.5	0.3	-40	9.3	14.5	12.9	9.8	-24	1.2	2.1	1.7	1.0	-41
CFCWFM	0.1	0.0			-	3.6	0.9			-	0.2	0.0			-
Adults 25-54															
CKNGFM	8.9	8.2	8.5	8.5	0	123.0	115.9	116.5	113.0	-3	15.0	17.1	14.2	13.3	-6
CISNFM	7.0	4.1	6.1	8.2	34	75.4	61.4	72.8	80.4	10	11.9	8.6	10.3	12.8	24
CFBRFM	8.3	6.4	9.6	8.2	-14	95.4	85.5	113.6	103.6	-8	14.0	13.3	16.2	12.9	-20
CHED	6.4	4.9	4.8	7.3	52	118.6	97.5	93.6	120.5	28	10.8	10.2	8.0	11.4	42
CFMGFM	5.5	5.3	6.6	7.1	7	75.8	82.0	82.6	83.3	0	9.3	11.1	11.1	11.1	0
CHDIFM	5.3	5.7	3.2	5.3	65	80.5	94.1	70.0	69.3	-1	9.0	12.0	5.4	8.3	53
CIRKFM	4.5	3.6	5.4	4.3	-20	72.0	64.1	77.9	58.6	-24	7.7	7.5	9.2	6.7	-27
CHBNFM	4.0	3.4	5.1	4.1	-19	79.9	77.8	79.1	73.8	-6	6.7	7.1	8.7	6.5	-25
CFCW	1.2	0.6	1.0	2.1	110	12.5	10.2	10.4	21.9	110	2.1	1.2	1.6	3.3	106
CKUA			2.1	2.0	-4			24.4	27.7	13			3.6	3.1	-13
CHQT	2.5	1.1	2.1	1.9	-9	36.4	21.9	24.1	25.5	5	4.2	2.3	3.5	3.0	-14
CFRN	0.9	1.1	1.6	1.9	18	24.3	25.3	27.7	26.1	-5	1.5	2.2	2.7	2.9	7
CHMCFM	1.8	2.0	1.7	1.6	-5	37.0	39.4	35.4	33.1	-6	3.0	4.2	2.9	2.6	-10
CKRAFM	2.7	1.4	1.6	1.4	-12	49.4	30.7	35.4	34.7	-1	4.5	3.0	2.7	2.2	-18
CFCWFM	0.1	0.0			-	6.0	3.1			-	0.3	0.1			-

Important Notice Re: Trending

Central AQH (000) and Central Cume (000) trends will be affected by the population adjustment.
Share of Hours Tuned (%) trending will factor out the population change.

Central AQH (000)

Central Cume (000)

Share of Hrs Tuned % (Comm/Orig)

	Central AQH (000)					Central Cume (000)					Share of Hrs Tuned % (Comm/Orig)				
	S1/07	S2/07	S4/07	S1/08	% Diff S4/07 -S1/08	S1/07	S2/07	S4/07	S1/08	% Diff S4/07 -S1/08	S1/07	S2/07	S4/07	S1/08	% Diff S4/07 -S1/08
Women 25-54															
CISNFM	3.8	2.6	4.4	5.8	31	46.1	39.8	49.4	50.1	1	14.3	11.3	15.6	19.7	26
CFMGFM	4.2	3.8	4.3	4.9	13	51.2	52.8	52.2	56.2	7	15.9	16.3	15.5	16.5	6
CKNGFM	4.2	4.8	5.2	4.1	-21	66.5	61.8	61.1	57.4	-6	15.7	20.7	18.5	13.7	-25
CFBRFM	2.2	2.2	2.8	2.5	-10	40.3	36.6	45.8	41.2	-10	8.2	9.3	10.0	8.4	-16
CHED	2.1	1.7	1.6	2.4	50	42.8	36.7	34.6	46.0	32	8.0	7.2	5.8	8.1	39
CHDIFM	1.6	1.9	1.1	2.3	109	34.5	40.6	26.7	33.3	24	6.1	8.0	3.9	7.7	97
CHBNFM	2.3	2.2	3.3	2.0	-39	46.5	48.9	45.5	41.6	-8	8.8	9.5	11.7	6.7	-42
CFCW	0.8	0.3	0.3	1.3	333	8.2	5.7	3.9	10.8	176	2.9	1.3	1.0	4.4	340
CIRKFM	1.0	1.0	1.0	1.2	20	27.6	26.0	27.1	19.4	-28	3.8	4.2	3.7	4.0	8
CHMCFM	1.1	1.3	1.2	1.2	0	23.2	23.0	21.3	19.2	-9	4.3	5.8	4.1	3.9	-4
CKRAF	1.8	0.6	0.9	0.7	-22	29.5	17.6	18.7	18.7	0	6.9	2.4	3.3	2.4	-27
CHQT	1.3	0.7	1.0	0.6	-40	18.4	10.0	11.6	11.4	-1	4.7	3.2	3.7	2.0	-45
CKUA			0.8	0.6	-25			10.4	11.5	10			3.0	2.0	-33
CFRN	0.1	0.1	0.1	0.1	0	3.1	3.5	1.9	3.1	63	0.2	0.5	0.3	0.4	33
CFCWFM	0.1	0.0			-	2.1	1.8			-	0.2	0.2			-
Men 25-54															
CFBRFM	6.1	4.2	6.8	5.7	-16	55.1	48.9	67.8	62.4	-7	18.8	17.1	21.7	16.8	-22
CHED	4.3	3.2	3.1	4.8	54	75.9	60.8	59.0	74.5	26	13.1	13.0	10.0	14.2	42
CKNGFM	4.7	3.4	3.3	4.4	33	56.5	54.0	55.3	55.6	0	14.5	13.8	10.5	13.0	23
CIRKFM	3.5	2.6	4.4	3.1	-29	44.4	38.1	50.8	39.2	-22	10.9	10.6	14.0	9.1	-35
CHDIFM	3.7	3.9	2.1	3.0	42	46.0	53.6	43.3	36.0	-16	11.3	15.7	6.7	8.9	32
CISNFM	3.2	1.5	1.7	2.3	35	29.4	21.6	23.4	30.4	29	10.0	6.1	5.5	6.9	25
CFMGFM	1.2	1.5	2.3	2.2	-4	24.6	29.1	30.4	27.1	-10	3.8	6.3	7.3	6.4	-12
CHBNFM	1.6	1.2	1.9	2.1	10	33.4	28.9	33.6	32.3	-3	5.1	4.8	6.0	6.2	3
CFRN	0.8	0.9	1.5	1.7	13	21.2	21.8	25.8	23.0	-10	2.5	3.9	4.8	5.1	6
CKUA			1.3	1.4	7			13.9	16.2	16			4.1	4.0	-2
CHQT	1.2	0.3	1.0	1.3	30	18.0	12.0	12.5	14.0	12	3.8	1.4	3.3	3.8	15
CFCW	0.5	0.3	0.7	0.8	14	4.3	4.5	6.5	11.2	72	1.4	1.1	2.1	2.3	9
CKRAF	0.9	0.9	0.7	0.7	0	19.9	13.1	16.7	16.0	-4	2.7	3.5	2.2	1.9	-13
CHMCFM	0.6	0.6	0.6	0.5	-16	13.7	16.4	14.1	13.8	-2	1.9	2.6	1.9	1.4	-26
CFCWFM	0.1	0.0			-	3.8	1.3			-	0.3	0.0			-
Adults 18-34															
CFBRFM	6.5	4.4	8.0	6.1	-23	88.2	75.8	92.5	71.0	-23	20.8	17.4	27.0	20.5	-24
CHBNFM	4.7	3.9	5.3	4.8	-9	77.1	82.5	85.4	78.5	-8	15.0	15.3	18.0	16.0	-11
CHDIFM	5.8	6.0	3.7	4.1	10	81.6	92.1	70.7	67.1	-5	18.4	23.6	12.4	13.7	10
CISNFM	4.1	2.2	2.1	3.3	57	46.8	33.9	39.5	34.7	-12	13.0	8.5	7.1	11.0	54
CKNGFM	3.4	2.8	2.5	3.0	20	47.8	54.2	50.0	49.2	-1	10.9	10.9	8.5	10.0	17
CFMGFM	1.7	1.6	1.8	2.5	38	30.3	33.8	33.1	38.1	15	5.3	6.2	6.2	8.2	32
CHED	1.3	1.0	1.4	1.6	14	31.5	28.9	29.6	43.6	47	4.2	3.9	4.6	5.2	13
CIRKFM	1.2	1.1	1.2	1.3	8	23.0	25.0	34.7	22.1	-36	4.0	4.3	4.2	4.3	2
CFRN	0.4	0.4	0.7	1.1	57	11.2	12.1	11.8	14.3	21	1.2	1.5	2.5	3.6	44
CKRAF	1.4	0.8	0.7	0.6	-14	32.2	18.8	18.1	13.9	-23	4.5	3.3	2.3	1.9	-17
CFCW	0.3	0.1	0.7	0.5	-28	3.4	1.9	2.2	3.7	68	1.1	0.2	2.3	1.8	-21
CHQT	0.2	0.4	0.2	0.4	100	5.9	5.9	5.8	7.6	31	0.5	1.7	0.6	1.5	150
CHMCFM	0.3	0.8	0.9	0.4	-55	11.5	17.6	15.8	12.0	-24	0.9	3.0	3.0	1.5	-50
CKUA			0.4	0.3	-25			6.5	9.0	38			1.5	0.9	-40
CFCWFM	0.0	0.0			-	2.3	1.8			-	0.1	0.1			-
Women 18-34															
CISNFM	1.4	1.3	1.6	2.6	62	28.4	24.5	27.1	25.4	-6	10.1	10.4	10.6	17.8	67
CHBNFM	2.4	2.4	3.8	2.6	-31	43.9	49.3	51.9	45.5	-12	17.2	19.0	25.7	18.1	-29
CFMGFM	1.3	1.2	1.3	1.9	46	20.8	24.8	21.3	26.4	23	9.5	9.8	8.9	12.9	44
CHDIFM	2.8	2.0	0.9	1.8	100	40.8	43.2	27.1	34.1	25	19.8	15.9	5.9	12.2	106
CFBRFM	2.3	1.5	2.3	1.7	-26	39.2	33.2	42.6	30.5	-28	15.9	12.2	15.7	11.7	-25
CKNGFM	1.9	1.9	1.8	1.5	-16	31.3	33.4	26.5	27.9	5	13.1	15.2	11.9	9.9	-16
CHED	0.6	0.3	0.4	0.7	75	11.9	12.8	11.1	18.4	65	4.3	2.7	2.8	4.6	64
CIRKFM	0.2	0.5	0.3	0.6	100	10.0	12.8	11.8	9.4	-20	1.4	4.0	2.1	3.9	85
CFCW	0.3	0.1	0.7	0.5	-28	3.4	1.9	1.4	2.5	78	2.3	0.4	4.5	3.6	-20
CKRAF	0.7	0.2	0.6	0.4	-33	18.7	11.8	13.9	8.6	-38	4.6	1.8	4.1	2.6	-36
CHMCFM	0.2	0.6	0.7	0.3	-57	9.4	11.1	8.9	8.7	-2	1.3	4.7	4.6	2.2	-52
CKUA			0.4	0.1	-75			4.4	2.4	-45			2.7	0.5	-81
CHQT	0.0	0.4	0.1	0.0	-	2.1	3.6	1.5	3.1	106	0.2	3.4	0.5	0.1	-80
CFRN	0.0	0.0	0.0	0.0	-	2.0	2.5	0.7	0.0	-	0.2	0.1	0.1	-	-
CFCWFM	0.0	0.0			-	0.7	1.8			-	0.0	0.3			-

Important Notice Re: Trending

Central AQH (000) and Central Cume (000) trends will be affected by the population adjustment. Share of Hours Tuned (%) trending will factor out the population change.

Central AQH (000)

Central Cume (000)

Share of Hrs Tuned % (Comm/Orig)

	Central AQH (000)					Central Cume (000)					Share of Hrs Tuned % (Comm/Orig)				
	S1/07	S2/07	S4/07	S1/08	% Diff S4/07 -S1/08	S1/07	S2/07	S4/07	S1/08	% Diff S4/07 -S1/08	S1/07	S2/07	S4/07	S1/08	% Diff S4/07 -S1/08
Men 18-34															
CFBRFM	4.3	2.9	5.7	4.4	-22	49.1	42.6	49.9	40.5	-18	24.9	22.2	38.3	28.9	-24
CHDIFM	3.0	4.1	2.8	2.3	-17	40.8	48.9	43.6	33.0	-24	17.3	30.8	18.8	15.2	-19
CHBNFM	2.3	1.6	1.5	2.1	40	33.2	33.3	33.5	33.1	-1	13.3	11.9	10.4	14.1	35
CKNGFM	1.6	0.9	0.7	1.5	114	16.5	20.8	23.4	21.3	-8	9.1	6.8	5.0	10.0	100
CFRN	0.3	0.4	0.7	1.1	57	9.2	9.6	11.1	14.3	28	2.0	2.8	4.8	7.1	47
CHED	0.7	0.7	0.9	0.9	0	19.6	16.1	18.5	25.3	36	4.1	5.1	6.4	5.7	-10
CISNFM	2.6	0.9	0.5	0.7	40	18.4	9.4	12.4	9.3	-25	15.4	6.8	3.6	4.5	25
CIRKFM	1.0	0.6	0.9	0.7	-22	12.9	12.3	22.9	12.7	-44	6.1	4.6	6.3	4.6	-26
CFMGFM	0.3	0.4	0.5	0.6	20	9.4	9.0	11.8	11.7	-0	1.9	2.7	3.6	3.8	5
CHQT	0.1	0.0	0.1	0.4	300	3.8	2.2	4.4	4.5	2	0.8	0.2	0.6	2.8	366
CKRAFM	0.7	0.6	0.1	0.2	100	13.6	6.9	4.2	5.3	26	4.4	4.7	0.5	1.2	140
CKUA			0.0	0.2	-			2.1	6.6	214			0.3	1.2	300
CHMCFM	0.1	0.2	0.2	0.1	-50	2.1	6.5	6.9	3.2	-53	0.6	1.4	1.4	0.8	-42
CFCW	0.0	0.0	0.0	0.0	-	0.0	0.0	0.8	1.3	62	-	-	0.1	0.1	0
CFCWFM	0.0	0.0			-	1.7	0.0			-	0.1	-			-
Adults 35-64															
CHED	8.4	7.0	6.2	8.7	40	132.4	113.5	101.0	124.0	22	15.9	17.3	11.4	15.4	35
CISNFM	5.8	3.5	6.7	7.6	13	68.0	51.3	70.0	82.1	17	11.1	8.7	12.3	13.4	8
CFMGFM	6.5	5.9	7.7	7.3	-5	81.6	84.0	85.3	79.7	-6	12.4	14.7	14.2	12.9	-9
CKNGFM	7.4	6.4	7.4	6.7	-9	97.2	85.2	87.7	86.7	-1	14.0	16.0	13.5	11.9	-11
CFBRFM	4.0	3.6	4.0	4.2	5	46.2	45.6	55.1	56.5	2	7.5	8.9	7.3	7.4	1
CIRKFM	4.2	3.2	5.1	4.1	-19	61.4	56.7	59.2	54.9	-7	8.0	8.0	9.3	7.3	-21
CKUA			2.2	3.2	45			29.0	38.4	32			4.1	5.6	36
CFCW	3.8	1.5	2.9	3.0	3	29.8	19.4	30.7	35.4	15	7.2	3.8	5.3	5.3	0
CHDIFM	2.0	1.9	1.6	2.4	50	32.9	37.8	33.5	32.2	-3	3.7	4.7	2.9	4.2	44
CHQT	3.7	1.5	4.0	2.3	-42	51.8	32.0	43.0	35.7	-16	7.0	3.8	7.3	4.1	-43
CHMCFM	2.5	2.3	1.7	2.2	29	39.7	41.1	33.7	39.4	16	4.8	5.7	3.1	4.0	29
CHBNFM	1.8	1.4	2.3	2.1	-8	39.4	37.4	40.1	41.9	4	3.5	3.4	4.2	3.6	-14
CKRAFM	1.8	1.2	1.7	1.7	0	32.6	24.5	35.1	36.4	3	3.5	2.9	3.1	3.0	-3
CFRN	0.6	0.8	1.2	1.0	-16	16.8	20.5	22.7	18.8	-17	1.1	2.1	2.1	1.8	-14
CFCWFM	0.1	0.0			-	4.6	1.8			-	0.3	0.0			-
Women 35-64															
CFMGFM	4.5	4.0	4.5	5.2	15	50.5	51.4	50.5	50.9	0	18.1	20.0	17.9	19.7	10
CISNFM	3.7	2.4	4.7	4.7	0	40.3	30.3	43.6	46.5	6	15.0	12.1	18.7	17.9	-4
CHED	2.9	2.6	2.4	3.1	29	50.8	43.0	38.2	50.0	30	11.6	12.8	9.8	11.6	18
CKNGFM	3.4	3.6	4.1	3.1	-24	48.7	40.1	45.1	43.9	-2	13.9	17.7	16.4	11.7	-28
CFCW	2.0	0.9	1.3	1.5	15	15.1	10.6	13.3	15.5	16	8.2	4.4	5.3	5.6	5
CHMCFM	1.4	1.6	0.9	1.4	55	22.1	22.8	19.5	20.9	7	5.5	7.8	3.4	5.2	52
CFBRFM	0.7	1.3	1.0	1.2	20	18.4	19.3	20.1	20.4	1	2.8	6.3	3.8	4.6	21
CHBNFM	1.1	1.0	1.2	1.1	-8	23.6	26.0	21.4	25.4	18	4.3	4.8	4.8	4.2	-12
CKRAFM	1.4	0.6	0.8	1.0	25	19.3	11.7	16.4	19.3	17	5.7	2.8	3.2	3.8	18
CHQT	1.9	0.8	2.0	1.0	-50	26.3	14.0	20.3	17.2	-15	7.8	3.8	7.9	3.7	-53
CIRKFM	1.0	0.7	0.9	1.0	11	22.6	19.5	19.8	17.6	-11	3.9	3.6	3.7	3.9	5
CHDIFM	0.7	0.7	0.6	1.0	66	14.9	15.3	13.3	14.0	5	2.8	3.2	2.3	3.8	65
CKUA			0.7	1.0	42			12.2	16.7	36			2.7	3.9	44
CFRN	0.0	0.1	0.1	0.1	0	2.4	1.8	1.5	3.7	146	0.2	0.6	0.2	0.5	150
CFCWFM	0.1	0.0			-	1.8	0.5			-	0.2	0.0			-
Men 35-64															
CHED	5.5	4.4	3.8	5.6	47	81.6	70.4	62.8	74.0	17	19.7	21.9	12.8	18.7	46
CKNGFM	3.9	2.8	3.3	3.6	9	48.5	45.2	42.6	42.7	0	14.1	14.1	11.1	12.1	9
CIRKFM	3.2	2.5	4.1	3.1	-24	38.8	37.2	39.4	37.3	-5	11.5	12.5	14.0	10.2	-27
CFBRFM	3.3	2.3	3.0	3.0	0	27.8	26.3	35.0	36.1	3	11.7	11.5	10.2	9.9	-2
CISNFM	2.1	1.0	2.0	2.9	45	27.7	20.9	26.4	35.6	34	7.6	5.2	6.8	9.5	39
CKUA			1.5	2.2	46			16.9	21.7	28			5.2	7.2	38
CFMGFM	2.0	1.9	3.3	2.1	-36	31.1	32.6	34.8	28.8	-17	7.3	9.4	11.0	6.9	-37
CFCW	1.8	0.6	1.6	1.5	-6	14.6	8.8	17.4	19.9	14	6.4	3.1	5.4	5.0	-7
CHQT	1.8	0.8	2.0	1.4	-30	25.5	18.0	22.8	18.4	-19	6.3	3.8	6.7	4.5	-32
CHDIFM	1.3	1.2	1.0	1.4	40	18.0	22.5	20.2	18.2	-9	4.6	6.1	3.4	4.5	32
CHBNFM	0.8	0.4	1.1	1.0	-9	15.8	11.3	18.7	16.5	-11	2.8	2.0	3.7	3.2	-13
CFRN	0.5	0.7	1.1	0.9	-18	14.3	18.6	21.3	15.1	-29	1.9	3.6	3.7	3.0	-18
CHMCFM	1.2	0.7	0.8	0.9	12	17.6	18.3	14.2	18.4	29	4.2	3.6	2.9	2.9	0
CKRAFM	0.4	0.6	0.9	0.7	-22	13.3	12.8	18.6	17.0	-8	1.5	3.0	3.1	2.4	-22
CFCWFM	0.1	0.0			-	2.8	1.3			-	0.3	0.0			-

Important Notice Re: Trending

Central AQH (000) and Central Cume (000) trends will be affected by the population adjustment. Share of Hours Tuned (%) trending will factor out the population change.